

RY, PHYSICS
SUBSTANCES

CELLULOSE
AND
CELLULOSE DERIVATIVES

Newark, Del.;

A MONOGRAPH
Prepared by a Staff of Specialists
under the Editorship of

EMIL OTT
*Director of Research
Hercules Powder Company
Wilmington, Delaware*

NC.

1943
INTERSCIENCE PUBLISHERS, INC.
New York, N. Y.

HIGH POLYMERS

A SERIES OF MONOGRAPHS ON THE CHEMISTRY, PHYSICS
AND TECHNOLOGY OF HIGH POLYMERIC SUBSTANCES

Editorial Board

H. MARK, *New York, N. Y.*; E. O. KRAEMER, *Newark, Del.*;

G. S. WHITBY, *Akron, Ohio*

Volume V

Cellulose and Cellulose Derivatives

Edited by EMIL OTT

INTERSCIENCE PUBLISHERS, INC.
New York, N. Y.

CELLUL

Prep

INTER

Copyright, 1943, by
INTERSCIENCE PUBLISHERS, INC., New York, N. Y.

INTERSCIENCE PUBLISHERS, INC.
215 Fourth Avenue, New York, N. Y.

Printed in U. S. A.
MACK PRINTING COMPANY, EASTON, PA.

The presentation of a time seems particularly : istry, which for years w point where a number substantiated in a man field. This, of course, On the contrary, it is a can now be recognized a as an irritating and conf the international exchar and, hence, the present (for a number of years. interest of many technic of cellulose and cellulose subject matter should be

In organizing this boo straightforward manner, the most generally accept approach has been almos aware of the pedagogic technical detail has been was deemed necessary fo of the whole field. The description of a point in ences. Not much emph discussion of priority is Nonetheless, it is felt th that few topics are disc permit locating of pertin

To make available for tion of results secured in start that the contribut would seem almost impo

first action of an intracrystalline swelling agent is to break those hydrogen bonds between the cellulose chains which exist along the ab plane of the unit cell (see Fig. 5). If the swelling agent has only one polar group which forms a bond with the hydroxyl of the cellulose chain, then the plane of the glucose unit rotates approximately 30° and forms bonds with its next neighbor in the center of the unit cell. This shifts the plane of the glucose residues from the ab plane to a plane bisecting the ab and cb planes so that the hydroxyl groups now lie in the 101 plane. The plane containing the van der Waals' forces is thus shifted from the 002 to the 101 crystallographic plane. These van der Waals' forces are little disturbed by the entrance of the swelling agent and as a result the 101 interplanar distance is not a function of the molecular size of the swelling agent. The main valence chains are held together along the (101) plane by bonds formed through the swelling agent, and as a result the 101 interplanar distance is a function of the molecular size of the swelling agent. This mechanism of swelling would explain why a swelling agent which has only one hydrogen bonding atom gives the hydrate unit cell structure upon removing the swelling agent, while those containing two hydrogen bonding atoms at each end of the swelling molecule (e. g., diamines) hold the plane of the glucose unit in the ab plane of the unit cell and thus assist the bonds between the glucose units to reunite in a manner characteristic of the native structure when the swelling agent is removed.

(d) Mercerization

Technically, the most important of swelling phenomena is the action of sodium hydroxide on cellulose, known as mercerization. The name is derived from the fact that John Mercer in 1844 observed that if cotton, either in the form of yarn or fabric, was treated with strong sodium hydroxide, it suffered considerable shrinkage, and that its tensile strength, chemical reactivity, and dye absorption increased. Modern textile mercerization is associated with increased luster and tensile strength obtained by treating cotton under tension. The mercerizing effect may be obtained also by other alkali hydroxides, organic bases, certain salt solutions, liquid ammonia, and strong acids. In the viscose rayon industry, the term mercerization has a specialized meaning, in that it refers only to the aging of alkali cellulose, but in the textile industry mercerization usually refers to the physical aspects of the process and the resulting product. A comprehensive discussion of mercerization may be found in a recent book by Marsh.¹³³ The

present discussion will be on cellulose fibers and

When sodium hydroxide is forced to conclude intramolecular type. When, however, the chain has taken place, and if cellulose has now become that the point where temperature and concentration and the point correspond.

Much work has been done on a compound which observation that a chemical of the compound on treatment of sodium ethoxide difficult to account for formation between cellulose and the uncombined alkali the compound ($C_6H_{10}O_5$)₂NaOH and have measured the and found two breaks ($C_6H_{10}O_5$)₂NaOH and have measured the structure. Some have found. Excellent results. In the structure, it is no exception and composition is associated cellulose fiber as evidence.

The x-ray examination

- ¹³³ J. H. Gladstone, *J.*
- ¹³⁴ W. Vieweg, *Ber.*, 40
- ¹³⁵ D. A. Clibbens, *J.*
- ¹³⁶ W. D. Bancroft and
- ¹³⁷ J. T. Marsh and F.

¹³³ J. T. Marsh, *Mercerizing*. Chapman & Hall, London, 1941.

weak those hydrogen
the *ab* plane of the
polar group which
then the plane of the
onds with its next
plane of the glucose
ad *cb* planes so that
lane containing the
the 101 crystallo-
disturbed by the en-
planar distance is

The main valence
ds formed through
stance is a function
hanism of swelling
hydrogen bonding
oving the swelling
oms at each end of
the glucose unit in
between the glucose
structure when the

ena is the action of
1. The name is de-
hat if cotton, either
odium hydroxide, it
strength, chemical
the mercerization is
btained by treating
tained also by other
s, liquid ammonia,
term mercerization
ing of alkali cellu-
fers to the physical
comprehensive dis-
by Marsh.¹²³ The

present discussion will be limited to the swelling action of sodium hydroxide on cellulose fibers and to the formation of alkali cellulose.

When sodium hydroxide of less than about 12% reacts with cellulose fibers at room temperature there is no change in the crystal lattice, and one is forced to conclude that the swelling below this concentration is of the intermolecular type. With increasing concentration or decreasing temperature, however, the change in the lattice shows that an intramolecular change has taken place, and it must be assumed that the interior of the crystalline cellulose has now become accessible to the alkali. It is interesting to note that the point where intramolecular swelling begins coincides with the temperature and concentration at which maximum water absorption occurs, and the point corresponds to the break in Vieweg's absorption curve.

Much work has been done on the question of whether sodium hydroxide forms a compound with or is merely absorbed by cellulose. Mercer's original observation that cotton removed alkali from solution led him to believe that a chemical combination took place, followed by decomposition of the compound on treatment with water in a manner similar to the formation of sodium ethoxide and its subsequent hydrolysis. Furthermore, it is difficult to account for the viscose reaction without assuming an alcoholate formation between cellulose and sodium hydroxide. Gladstone¹²⁴ removed the uncombined alkali from cotton by washing, with alcohol, and found the compound $(C_6H_{10}O_5)_2 \cdot NaOH$. Vieweg¹²⁵ made the first quantitative measurements of the absorption of sodium hydroxide from solution and found two breaks in the curve corresponding to the compounds $(C_6H_{10}O_5)_2 \cdot NaOH$ and $(C_6H_{10}O_5)_2 \cdot 2NaOH$. Since then many workers have measured the absorption of sodium hydroxide by various techniques. Some have found evidence for compound formation while others have not. Excellent reviews of these researches may be found in the literature.^{126, 129, 140} In the light of our present knowledge of swelling and cellulose structure, it is now quite certain that during mercerization both absorption and compound formation take place and that the complex phenomenon is associated with the amorphous and crystalline structure of the cellulose fiber as evidenced by x-ray analysis.*

The x-ray examination of mercerization has been of two types: (1) x-ray

¹²⁴ J. H. Gladstone, *J. Chem. Soc.*, 5, 17 (1852).

¹²⁵ W. Vieweg, *Ber.*, 40, 3876 (1907).

¹²⁶ D. A. Clibbens, *J. Textile Inst.*, 14, T217 (1923).

¹²⁹ W. D. Bancroft and J. B. Calkin, *Textile Research*, 4, 119, 159 (1934).

¹⁴⁰ J. T. Marsh and F. C. Wood, *An Introduction to the Chemistry of Cellulose*. Chapman & Hall, London, 1938.

diagrams obtained when the alkali is left in the fibers, and (2) examination of the fibers after removal of the alkali. When one examines cotton after removal of the alkali, three general types of x-ray diffraction patterns are obtained showing either (1) native cellulose, (2) or completely mercerized cellulose, or (3) both native and mercerized cellulose.




FIG. 26.—GRAPHICAL REPRESENTATION OF THE EFFECT OF TREATING RAW COTTON WITH SODIUM HYDROXIDE AT VARIOUS TEMPERATURES AND CONCENTRATIONS (SISSON AND SANER¹⁴¹).

The effect of temperature and concentration on the type of x-ray patterns obtained for raw cotton¹⁴¹ after treatment with alkali is shown in Figure 26. Upon examining Figure 26, it is apparent that complete mercerization is obtained at room temperature (20°C.) when the concentration of sodium hydroxide is above 13 to 14%. As the temperature is lowered, the concentration required for complete mercerization becomes in-

¹⁴¹ W. A. Sisson and W. R. Saner, *J. Phys. Chem.*, **45**, 717 (1941).

creasingly lower is not obtained. With 3% sodium temperatures as dilute sodium hydroxide which that ice separate hydroxide which Partial Mercerized concentration becomes quite extends from approx

At low temperatures 50% sodium hydroxide by another area of reaction in this area hydrates at these the crystalline cel

Cotton fibers of great commercial and fabrics shown examined with x-ray mercerized cellulose ties obtained by ratio of native affected by the treatment previous treatment or compression of

At room temperature sodium hydroxide higher temperatures. Thus, a mixed 18% sodium hydroxide treated first with raising the temperature from cold alkali solution, however, is first washed in cold treated above 65 plunging the sam

ers, and (2) examination of native cotton after x-ray diffraction patterns are obtained for completely mercerized cotton.




FIG. 1. X-RAY DIFFRACTION PATTERNS OF COTTON FIBERS AT DIFFERENT MERCERIZATION CONCENTRATIONS.

on the type of x-ray pattern with alkali is shown in Figure 1. Complete mercerization is obtained when the concentration of the alkali is low. Mercerization becomes in-

creasingly lower until, with 5% sodium hydroxide, complete mercerization is not obtained until the temperature has been lowered to about -18°C . With 3% sodium hydroxide there is no indication of mercerization with temperatures as low as -70°C . Mercerization below the freezing point of dilute sodium hydroxide solutions (3 to 13%) probably depends on the fact that ice separates out leaving behind more concentrated solutions of sodium hydroxide which are capable of mercerization.

Partial Mercerization. Preceding complete mercerization there is a certain concentration range which gives only partial mercerization. This concentration range is rather narrow between -20° and $+30^{\circ}\text{C}$., but becomes quite extensive at higher temperatures, until at about 65°C . it extends from approximately 16 to 50% sodium hydroxide.

At low temperatures (-20° to $+30^{\circ}\text{C}$.) and high concentrations (35 to 50% sodium hydroxide) the area of complete mercerization is interrupted by another area of partial mercerization. The lack of complete mercerization in this area is probably due to the formation of sodium hydroxide hydrates at these concentrations which are incapable of penetration into the crystalline cellulose lattice.

Cotton fibers containing only partially mercerized cellulose appear to be of great commercial importance, since most commercially mercerized yarns and fabrics show a mixture of native and mercerized cellulose when examined with x-rays. The variation in relative amounts of native and mercerized cellulose may be partially responsible for the variation in properties obtained by specialized commercial mercerization treatments. The ratio of native to mercerized cellulose obtained after mercerization is affected by the temperature and concentration of the mercerizing bath, the previous treatment (degradation) of the fiber, and by the presence of tension or compression on the fibers during mercerization.

At room temperature raw cotton is completely mercerized with 18% sodium hydroxide, but upon heating the mercerizing and washing bath to a higher temperature the structure is partially reverted to the native form. Thus, a mixed pattern may be obtained either from cotton treated with 18% sodium hydroxide at temperatures above 65°C ., or from cotton treated first with cold 18% sodium hydroxide and then heated, either by raising the temperature of the mercerizing bath or by removing the sample from cold alkali and plunging it into boiling water. Complete mercerization, however, is obtained if the sample treated at room temperature is first washed in cold water and then plunged into boiling water, or if a sample treated above 65°C . is plunged into ice water. The apparent effect of plunging the sample into either hot or cold water is to change the tempera-

ture of the sodium hydroxide-impregnated fiber before the sodium hydroxide within the fiber is diluted to a concentration beyond which a reaction typical of the new temperature cannot take place.

X-ray studies show that the native pattern is changed to the mercerized form within a few seconds upon treatment with 18% sodium hydroxide at room temperatures. Above about 75°C. a partially mercerized pattern is obtained which gradually changes to complete mercerization after heating for days. This gradual change could be due to a slow mercerization reaction, but it appears more probable that the intracrystalline swelling attains equilibrium in a short time and that the effect of prolonged action is due to degradation. Fibers treated in the absence of oxygen with 25% NaOH at 75°C. still show partial mercerization after 15 days' treatment.

The x-ray diagram of cotton partially mercerized at room temperature indicates that the native and the mercerized cellulose exist as two separate crystalline phases. In samples which have been partially reverted at high temperatures, however, there is less definite indication of two distinctly separate crystalline phases. The two inner lines of the native x-ray pattern are not clearly resolved, which would indicate the possibility of a mixed crystallization. Partial mercerization appears to be connected in some way with fiber structure since cotton fibers cut into short sections show less partial mercerization while those ground to a fine powder show only complete mercerization.

Effect of Degradation. When cotton fibers are oxidized or hydrolyzed with acids, the area of partial mercerization is gradually decreased as degradation proceeds¹⁴¹ (see Fig. 27). Furthermore, degraded fibers are more highly swollen after treatment with sodium hydroxide, especially at low temperatures and concentrations. X-ray and microscopic studies indicate that the increased swelling is largely of the intermicellar type since the degraded fibers still give the same alkali cellulose diagram as the original fibers. This increased intermicellar swelling as a result of degradation leads to dispersion in sodium hydroxide solution, which is greatest at a concentration of approximately 10% and a temperature near the freezing point.

Since degradation apparently changes the limited intermicellar swelling to the unlimited type, without affecting the nature of the intramicellar swelling, one would expect sodium hydroxide solutions of degraded cotton to consist largely of gel particles suspended in a complete molecular dispersion of degraded cellulose. This would be in keeping with the fact that weak films and fibers are always obtained with cellulose regenerated from sodium hydroxide solution, the low-viscosity continuous phase having low inherent strength. In rayons, the solubility in sodium hydroxide is ap-

parently associated with the amorphous cellulose and the degree of polymerization. The effect of temperature on the degree of association has been studied by Trogus.¹⁴² Their

101

81

61

Temperature, °C.

41

21

1

-21

Fig. 27.—GRAPH
AND BLEACHED COT
TREATMENT WITH
CONCENTRATIONS (5.5%)

hydroxide and qt
intramicellar sw
under tension d
before and durin
fibers are held u
to obtain the me

¹⁴² K. Hess and C

re the sodium hydroxide beyond which a reaction

nged to the mercerized % sodium hydroxide at / mercerized pattern is erization after heating ow mercerization reac- stalline swelling attains onged action is due to en with 25% NaOH at treatment. d at room temperature se exist as two separate rtially reverted at high ation of two distinctly f the native x-ray pat- ate the possibility of a ars to be connected in into short sections show fine powder: show only

oxidized or hydrolyzed gradually decreased as ore, degraded fibers are roxide, especially at low roscopic studies indicate micellar type since the diagram as the original ult of degradation leads is greatest at a concen- ear the freezing point. ed intermicellar swelling ure of the intramolecular ions of degraded cotton complete molecular dis- eeping with the fact that llulose regenerated from nuous phase having low odium hydroxide, is ap-

parently associated with the fiber structure since the ratio of crystalline to amorphous cellulose appears to be of greater importance than the average degree of polymerization.

The effect of tension on mercerization has been pointed out by Hess and Trogus.¹⁴² Their experiments, which have been repeated with both sodium




FIG. 27.—GRAPHICAL REPRESENTATION OF THE RESULTS OBTAINED WITH KIERED AND BLEACHED COTTON PRETREATED WITH 1 N HCl FOR 4 HOURS AT 75°C. BEFORE TREATMENT WITH SODIUM HYDROXIDE AT VARIOUS TEMPERATURES AND CONCENTRATIONS (Sisson and Saner¹⁴¹).

Area in lower right-hand corner not investigated.

hydroxide and quaternary ammonium hydroxides by the author, show that intramolecular swelling may be partially prohibited by keeping the fibers under tension during the immersion in alkali, or by stretching the fibers before and during the washing out of the sodium hydroxide. When the fibers are held under tension it may be necessary to use 30 to 35% NaOH to obtain the mercerized diagram as compared with 13% in the case of un-

¹⁴² K. Hess and C. Trogus, *Z. physik. Chem.*, B4, 321 (1929); B11, 381 (1931).

stretched fibers, and, if sufficient tension is applied, the application of 45% NaOH for a week still gives the diagram of native cellulose if the sample is washed under tension. These and other experimental trials on the increased swelling of rubbed fibers¹¹¹ all point to the fact that any restrictive action, produced either by external forces or by the cuticle, tends to prohibit complete mercerization.

Alkali Cellulose. A great many of the investigations regarding the structure and formation of the alkali celluloses has been carried out by Hess and coworkers^{112, 113, 114, 115} who examined the x-ray diagrams obtained when sodium hydroxide and other alkalis are left in the cellulose fibers. At room temperatures several soda celluloses are formed, depending upon the concentration of the alkali solution. Between a concentration of about 12 and 19% NaOH, the so-called soda cellulose I is formed which gives a definite x-ray pattern. When this is dried a further diagram is obtained of a product designated as soda cellulose III, which reverts to soda cellulose I when treated with water. Above a concentration of about 21% another diagram corresponding to a product called soda cellulose II is obtained. This does not change upon dehydration, but when sufficient water is added soda cellulose I is formed. The transition from one diagram to another does not occur sharply and mixed diagrams are obtained over a range. More recently¹¹⁴ the effect of temperature and concentration has been worked out and there are indications of at least five soda celluloses. It has been emphasized¹¹³ that water is necessary for the formation of soda cellulose I, and for the rearrangement of soda cellulose II to soda cellulose I. It has also been observed¹¹⁴ that soda cellulose I, when washed with water at 100°C. and dried, gives the diagram of both native and mercerized cellulose. From the data which have been published¹¹⁴ on the increased volume of the unit cell of soda celluloses I and II, it appears likely that water, as well as sodium hydroxide, enters the unit cell to form the swelling compounds. Additional information on alkali cellulose is given in Chapter VIII, D.

Most of the phenomena associated with the formation of other swelling compounds appear to hold for the formation of alkali cellulose. For example, the hydroxyl groups of the glucose units rotate into the (101) plane and the crystal lattice expands perpendicular to the (101) plane so that the cellulose chains act as lamellae in their expansion to allow room for the entrance of the sodium hydroxide and water. The intramolecular swelling

associated with this type and only why does the swelling? Mechanism of M on fiber structure of a dual structure crystalline fibrils. It seems logical, the hydroxide must be the separate comp

X-ray and micro process indicate that are affected by the grams show that the original native crystalline pattern (swelling compound) is displaced by a new to cover up the old and dried, the pattern of the swollen cellulose. Microscopy shows that in sodium to swelling of the fibrils apart and produce that the fiber fibril itself is only sodium hydroxide.

If one considers intercrystalline multifold reaction: (intramolecular swelling) intermolecular swelling

This suggested of a true equilibrium as a compromise it take up sodium by form of the cotton x-ray and microscopy

W. Schramek and

¹¹¹ M. A. Calvert, *J. Textile Inst.*, 21, T293 (1930).

¹¹² C. Trogus and K. Hess, *Z. Elektrochem.*, 42, 704 (1936).

¹¹³ K. Hess and J. Goudermann, *Ber.*, 70B, 527 (1937).

the application of 45% cellulose if the sample is not treated with the reagent that any restrictive cuticle, tends to pro-

ns regarding the structure carried out by Hess and diagrams obtained in the cellulose fibers. When, depending upon concentration of about 21% which gives a definite diagram is obtained of a soda cellulose I of about 21% another cellulose II is obtained. If sufficient water is added the diagram to another obtained over a range of concentration has been five soda celluloses. It is the formation of soda cellulose II to soda cellulose I. When washed with native and mercerized cellulose on the increased appears likely that water, form the swelling compound is given in Chapter

nation of other swelling alkali cellulose. For example into the (101) plane of the (101) plane so that there is to allow room for the intramolecular swelling

associated with the formation of alkali cellulose is strictly of the limited type and only when treated with a further reagent such as carbon disulfide does the swelling become unlimited.

Mechanism of Mercerization. As pointed out in the earlier discussion on fiber structure, x-ray and microscopic data both indicate the presence of a dual structure in a native cellulose fiber. The fiber is built up of crystalline fibrils which are separated by amorphous interfibril material. It seems logical, therefore, to assume that the over-all action of the sodium hydroxide must be considered upon the basis of its specific action upon the separate components of the fiber.

X-ray and microscopic observations made throughout the mercerization process indicate that the crystalline phase and the amorphous phase each are affected by the sodium hydroxide in a different manner.¹⁴ X-ray diagrams show that when cotton fibers are swollen with sodium hydroxide the original native crystalline cellulose pattern disappears and that a new crystalline pattern (soda cellulose) is obtained which is characteristic of a swelling compound. At the same time, the original weak amorphous pattern is displaced by a new amorphous pattern, which is now so intense as almost to cover up the crystalline pattern. If the fibers are washed with water and dried, the pronounced amorphous pattern decreases and the crystalline pattern of the swelling compound is displaced by the pattern of mercerized cellulose. Microscopic observations in both ordinary and polarized light show that in sodium hydroxide the increase in fiber diameter is largely due to swelling of the hydrophilic interfibril material. This swelling pushes the fibrils apart and partially disarranges their original orientation with the result that the fiber increases in diameter and decreases in length, since the fibril itself is only slightly swollen but not disrupted by the treatment with sodium hydroxide.

If one considers a cellulose fiber as a two-phase system (crystalline and intercrystalline material), then it is possible to think of mercerization as a twofold reaction: (a) soda cellulose or swelling compound formation (intramolecular swelling) by the crystalline phase, and (b) alkali absorption (intermolecular swelling) by the intercrystalline or amorphous phase.

This suggested dual mechanism of mercerization would explain the lack of a true equilibrium in the system cellulose-sodium hydroxide¹⁴ and serve as a compromise in the long-debated question as to whether cotton fibers take up sodium hydroxide by sorption or by compound formation.¹⁴ The form of the cotton-alkali absorption curve would be in agreement with the x-ray and microscopic data, which indicate that most of the fiber swelling

¹⁴ W. Schramm and H. Görg, *Kolloid-Beihfte*, 42, 302 (1935).

and sorption of solution is due to the pronounced swelling of the intercrystalline material. Likewise, the chemical evidence regarding compound formation is in agreement with the x-ray data, which indicate the formation of a definite swelling compound between sodium hydroxide and the crystalline cellulose at the concentration corresponding to the break in the absorption curve. The chemical reaction corresponding to alcoholate formation thus occurs in both the amorphous and crystalline areas, but with greater ease in the amorphous areas where swelling beyond soda cellulose formation occurs. On the basis of swelling experiments, Neale¹⁷ has made a somewhat similar suggestion that the behavior of cellulose in sodium hydroxide solution can be explained on the assumption that alkali is taken up (1) according to the law of mass action to form a sodium salt, and (2) without chemical reaction in amount necessary to satisfy the Donnan equation of membrane equilibrium.

(e) Hydration

The general term hydration, as used in the literature, may refer to any of a large number of phenomena concerned with the taking up of water, the specific reference depending upon the particular phase of cellulose chemistry under discussion. The present discussion on hydration will be limited to x-ray data regarding the formation and properties of hydrate cellulose.

Swelling compounds, as a general rule, are easily decomposed by water. Upon removal of the swelling agent the fiber shrinks in diameter, and, after drying, the x-ray diagram shows the presence of a crystalline structure which differs from that of the original fiber. This regenerated structure is known as the hydrate or mercerized form, and as discussed earlier (see Fig. 5) it differs crystallographically from the native form in that the glucose residues are rotated approximately 30° around the main valence chain axes to form new interchain bonds and new interplanar distances. Hydrate cellulose has the same organic chemical structure as native cellulose but it is more reactive. This increased reactivity may be explained, partly by the geometrical arrangement of the glucose units which are farther apart and are oriented in the crystal lattice so as to make the hydroxyl groups more available, and partly by the greater proportion of amorphous areas created by the swelling or solution process which must precede the formation of a hydrate structure.

Earlier workers considered sodium hydroxide to form a chemical compound with cellulose which was decomposed by the action of water in the

same manner as "hydrate" cellulose. The product of combination, which still persists but hydrate cellulose and is free from

Cellulose regains the "hydrate" cellulose has the intracrystalline native cellulose crystalline degenerating to give a co

Hydrate, essentially the same as in relative difference of a hydrate subjected either Water Cellulose shown that when with water unit gives a new ar lattice which is more distended the final dried hydroxide of it occupies a definite swollen modified "water cellulose"

Water cellulose It is also stable hydrate cellulose. If alkali

¹⁷ S. E. Sheppard

¹⁸ I. Sakurada

¹⁹ I. Sakurada

(1935).

²⁰ I. Sakurada

(1935).

¹⁷ S. M. Neale, *J. Textile Inst.*, **20**, T373 (1929).

nal mechanical treatment

Unbeaten wood or bast structure or arrangement of the underlying fibrils. ered typical.

ly of the same degree of ore membranous than do brils and the holes which he results of tearing and typical micrograph of the The difference in the ap- nd wood fibers seems sig-

contributions of electron r to suggest the directions nportance of the findings tion of the instrument to nuity of the investigators

is so new, a short bibliography in this article is appended:

, 78 (Mar., 1941); *Bull. Inst.* 4331 (1942).

, 64 (1941).

41); *Chem. Abstracts*, 36, 7304

ayon Textile Monthly, 23, 101

ds, 36, 6075 (1942).

stracts, 36, 5639 (1942).

26, 198 (June 3, 1942); *Bull.*

Bull. Inst. Paper Chem., 13,

d. Eng. Chem., 34, 1429 (1942).

35, 120 (1943).

D. MERCERIZATION

E. I. VALKO

Mercerization is the name used in the textile industry for the treatment of cotton yarn or fabric with concentrated aqueous caustic solution. The process dates from 1844, when John Mercer,¹ upon filtering concentrated caustic soda through a cotton cloth, observed that the cotton swelled considerably and showed somewhat modified properties even after the caustic had been removed by washing. The fabric shrank, its tensile strength increased, and it acquired a higher power to absorb dyestuffs. Caustic potash, sulfuric acid of certain concentrations, and aqueous zinc chloride were found to have the same effects on the cloth as had sodium hydroxide, and Mercer took out a patent covering the use of all of these compounds to modify the physical properties of cellulose.² Mercerization developed into an important industrial process following the observation of Horace Lowe, nearly half a century later, that upon treating cotton cloth with caustic soda under tension in order to prevent shrinkage, the cotton acquired a silk-like luster.³

The present use of the mercerizing process aims almost always at increasing the luster of cotton. The comparatively low cost of the process promoted its wide use, and mercerization has retained its place in the textile industry even after the growth of rayon manufacture, perhaps because it combines with the production of the silky luster a retention of the strength of the native fiber.

During the century which has elapsed since Mercer's discovery, several hundred scientific investigations have been carried out on mercerizing. They have substantially enriched the knowledge of fiber structure, but they have influenced industrial practice only slightly. The literature has been

¹ E. A. Parnell, *The Life and Labours of John Mercer*. Longmans, Green & Co., London, 1886.

² J. Mercer, Brit. Patent 13,296 (Oct. 24, 1850).

³ H. A. Lowe, Brit. Patent 4452 (Dec. 22, 1890).

reviewed by Clibbens,⁴ Valko,⁵ and Marsh,⁶ and a bibliography has been compiled by Edelstein and Cady.⁷

1. Effects of Mercerization

Our knowledge of mercerization has come from the results of investigations concerned with: (a) the mechanism of the chemical interaction of cellulose and alkalis; (b) the physical changes of the fibers during the treatment with the caustic and during the subsequent washing; and (c) the permanent changes in the properties of the fibers produced by the mercerizing process. A study of all three is necessary for an understanding of the process, but, since the first two of these will be presented at length in Chapter VIII, D on "Alkali and Other Metal Derivatives of Cellulose," only a brief summary of them will be given here.

(a) Mechanism of Chemical Interaction of Cellulose and Alkalies

Cellulose combines with sodium hydroxide to form several modifications of alkali cellulose. The compounds can be quite definite, but the amount of alkali bound by a sample of cellulose, and the amount of water bound by the compounds, varies with the alkali concentration, the temperature, and other factors.

The reaction of cellulose with caustic produces heat, which has been successfully calculated by considering it to be the sum of three components: positive heat of dissociation of a weak acid; negative heat of neutralization, *i. e.*, heat of formation of water; and negative heat of dilution of the alkali.

The cellulose-alkali compounds hydrolyze on washing with water, and the caustic can be easily and completely removed.

(b) Physical Changes of Fibers during Treatment with Caustic and during Subsequent Washing

The two important changes in the fiber during the alkali treatment are an increase in its diameter ("swelling") and a decrease in its length ("shrinking"). Both swelling and shrinking pass through maxima when plotted against alkali concentration. When sodium hydroxide is the alkali, these maxima tend to fall at the same concentration, but they do

⁴ D. A. Clibbens, *J. Textile Inst.*, 14, T217 (1923).

⁵ B. Valko, *Kolloidchemische Grundlagen der Textilveredlung*. J. Springer, Berlin, 1937.

⁶ J. T. Marsh, *Mercerizing*. Chapman & Hall, London, 1941.

⁷ S. M. Edelstein and W. H. Cady, *Am. Dyestuff Repr.*, 26, P447 (1937).

not coincide when given alkali concentration sample. For instance dilute alkali swell fibers (those from paper) swell even. The swelling can theories. The first

brane inside which Donnan equilibrium. The second theory. The third is that between the celluloses. The amount of shrinkage is determined to some extent by the applied mains after the alkali discussed below in

* M. A. Calvert.

bibliography has been

he results of investiga-
chemical interaction of
the fibers during the
sequent washing; and
fibers produced by the
y for an understanding
be presented at length
ratives of Cellulose."

Alkalies

n several modifications
nite, but the amount of
unt of water bound by
, the temperature, and

heat, which has been
n of three components:
heat of neutralization,
of dilution of the alkali.
shing with water, and

Caustic and during

ie alkali treatment are
decrease in its length
through maxima when
ium hydroxide is the
entration, but they do

ng. J. Springer, Berlin,

941.
6, P447 (1937).

not coincide when other alkalis are used. The amount of swelling at a given alkali concentration depends greatly on the external surface of the sample. For instance, "scoured" cotton (cotton which has been boiled in dilute alkali) swells more than does raw or "gray" cotton, while "rubbed" fibers (those from which the outer layer has been removed with fine emery paper) swell even more* (Fig. 52). Regenerated cellulose swells the most. The swelling can be explained by three different but somewhat related theories. The first is that the fiber surface acts as a semipermeable mem-




FIG. 52.—INCREASE OF THE WIDTH OF COTTON FIBERS IN NaOH SOLUTIONS (CALVERT*).

Lower curve: raw hairs.
Middle curve: scoured hairs.
Upper curve: rubbed hairs.

brane inside which osmotic pressure is built up as a consequence of the Donnan equilibrium or by the solution of cellulose chains in the alkali used. The second theory is that hydration of the alkali cellulose causes the effect. The third is that the swelling is caused by the electrostatic repulsion between the cellulose particles, which are charged as a result of ionization. The amount of shrinkage a fiber undergoes, on mercerization is also determined to some extent by the external surface. The shrinkage can be prevented by application of tension to the fiber. Because the shrinkage remains after the alkali is washed out, in contrast to the swelling, it will be discussed below in the group of the permanent changes.

* M. A. Calvert, *J. Textile Inst.*, 21, T293 (1930).

(c) *Permanent Changes Produced by Mercerization in Properties of Fibers*

The changes which the mercerizing process causes in cellulosic materials fall into four categories. These comprise: the changes in the cellulose molecules themselves; those produced in the intermolecular structure of cellulose crystallites; those produced in the distribution of crystallites and amorphous material in the cellulosic material; and, finally, those produced in the microscopic structure of the fibers.

Changes Produced in the Cellulose Molecules. There is no reason to assume any structural difference between the single polymeric molecules of native and of mercerized cellulose. The interpretations of the x-ray

TABLE I
EFFECT OF MERCERIZING ON THE CHEMICAL PROPERTIES OF SCAURED COTTON (RIDGE, PARSONS, AND CORNER⁹)

Variety	Fluidity		Copper number		Methylene blue number		Loss of wt. in alkali boil, %	
	Native	Mercerized	Native	Mercerized	Native	Mercerized	Native	Mercerized
Egyptian Sakel	3.68	3.70	0.01	0.01	1.17	0.96	1.32	1.23
Egyptian Uppers	3.38	3.34	0.01	0.01	1.10	0.95	1.20	1.21
Tanguls	3.47	3.42	0.015	0.01	1.24	1.09	0.84	1.28
Arizona	3.87	3.67	0.01	0.01	1.35	0.98	1.37	1.30
Peru Mitadifi	3.52	3.21	0.01	0.01	1.03	0.88	0.88	1.0

diagrams of the crystalline part of both modifications were carried out under the assumption that the molecular structure is the same in both. The only other possible molecular change is depolymerization. However, as was demonstrated, for instance, by Ridge, Parsons, and Corner,⁹ all the properties of cotton which depend on the extent of the degradation remain essentially unchanged by the mercerizing process. Table I shows the results obtained on scoured cotton yarn which was mercerized with a 9 N NaOH solution. The measurements were carried out under strictly identical conditions.

Staudinger,¹⁰ through the use of his viscosity method, found that a cotton cellulose was changed on mercerization from a degree of polymerization (D.P.) of 3000 to a D.P. of 2000. This change is inappreciable, since

⁹ B. P. Ridge, H. L. Parsons, and M. Corner, *J. Textile Inst.*, **22**, T117 (1931).

¹⁰ H. Staudinger and A. W. Sohn, *J. prakt. Chem.*, **155**, 177 (1940).

a depolymerization to a properties of the cellulose. Changes Produced in the and of the mercerized is produced by mercerization^{11, 12} and Kubo¹³ structures of native and The question as to which be answered as yet, but cellulose indicates that stable form. There has cerization, to attribute crystal forms, but it is merely accessory, pher There are very few prop significance, for which t and of mercerized cellu Changes in Distributi of the technically imp duced by the merceriz most important one, t micellar changes. The crystalline material, an

No comparative qu diagrams of native and measurement of the r lose) which is known to exaggerated degree, sh rings, giving a quant crystallites or an incre the lattice structure.

It was observed that more diffuse for rayon indicates that by the terial is increased at more, the x-ray diagn out without tension, t

¹¹ K. H. Meyer and N.

¹² K. H. Meyer, L. Mis

¹³ T. Kubo, *Kolloid-Z.*

a depolymerization to a D.P. of 500 would still have left the mechanical properties of the cellulose practically unchanged.

Changes Produced in the Crystallites. X-ray examination of the native and of the mercerized fiber gives evidence for a change of crystalline form produced by mercerization, and it has been proved by Meyer and Badenhuizen^{11, 12} and Kubo¹³ that this change is reversible. The crystalline structures of native and of regenerated cellulose are, therefore, polymorphic. The question as to which form is more stable at room temperature cannot be answered as yet, but the direct transformation of mercerized into native cellulose indicates that at higher temperatures the native is the more stable form. There has been a tendency, in theoretical treatises on mercerization, to attribute a great significance to the transformation of the crystal forms, but it seems more correct to regard it as an interesting, yet merely accessory, phenomenon connected with the mercerizing process. There are very few properties of mercerized cellulose, and none of technical significance, for which the difference between the crystal structure of native and of mercerized cellulose could be held responsible.

Changes in Distribution of Crystallites and Amorphous Material. All of the technically important changes in fiber properties which are produced by the mercerizing process, with the noteworthy exception of the most important one, the increase in luster, can be traced to two intermicellar changes. These two changes are the decrease in the amount of crystalline material, and the change in orientation of the crystallites.

No comparative quantitative measurement of the sharpness of x-ray diagrams of native and mercerized cellulose has been reported. However, measurement of the x-ray diagrams of rayon (from regenerated cellulose) which is known to show the peculiarities of mercerized cellulose in an exaggerated degree, showed a decrease in the sharpness of the diffraction rings, giving a quantitative indication of a decrease in the size of the crystallites or an increase in the number of distortions or discontinuities in the lattice structure.

It was observed that the scattering was more intense and the rings were more diffuse for rayon than they were for native cellulose. This finding indicates that by the mercerizing process the amount of amorphous material is increased at the expense of the crystalline material. Furthermore, the x-ray diagrams proved that when the mercerization is carried out without tension, the orientation of the crystallites decreases substantially.

¹¹ K. H. Meyer and N. P. Badenhuizen, *Nature*, 140, 281 (1937).

¹² K. H. Meyer, L. Misch, and N. P. Badenhuizen, *Helv. Chim. Acta*, 22, 59 (1939).

¹³ T. Kubo, *Kolloid-Z.*, 93, 338 (1940); *Z. physik. Chem.*, A187, 297 (1940).

tion in

cellulosic materials
the cellulose mole-
structure of cellu-
crystallites and
y, those produced

is no reason to
meric molecules of
ons of the x-ray

RED COTTON (RIDGE,

No.	Loss of wt. in alkali boil, %	
	Native	Mercerized
96	1.32	1.23
95	1.20	1.31
96	0.84	1.23
98	1.37	1.30
98	0.88	1.0

were carried out
the same in both.
zation. However,
nd Corner,⁹ all the
egradation remain
able 1 shows the
nercerized with a
out under strictly

mod, found that a
egree of polymeri-
appreciable, since

2, T117 (1931).
40).

III. CELLULOSE FIBERS

tially. When the mercerizing is carried out under tension, the degree of orientation is retained or even increased.¹⁴

Effects of the Decrease in Amount of Crystalline Material. The decrease in the amount of crystalline material and increased separation of the cellulose




FIG. 53.—ABSORPTION OF WATER BY NATIVE AND BY MERCERIZED COTTON (URQUHART AND WILLIAMS¹⁵).

Curves (from top to bottom): mercerized cotton, desorption; mercerized cotton, adsorption; native cotton, desorption; native cotton, adsorption. Points refer to cotton, the mercerization of which was carried out with 15% NaOH solution; crosses refer to cotton, the mercerization of which was carried out with 28% KOH solution.

chains result in the decreased density, increased adsorption, and increased reactivity of the mercerized fibers. The density measurements were carried out by Davidson,¹⁶ who used the pycnometric method with helium, water,

¹⁴ G. L. Clark, *Ind. Eng. Chem.*, 22, 474 (1930).

¹⁵ G. F. Davidson, *J. Textile Inst.*, 18, T175, T275 (1927).

¹⁶ A. R. Urquhart and A. M. Williams, *J. Textile Inst.*, 16, T155 (1925); 18, T55 (1927).

and toluene as measured. Section G of this truly representing apparent values is caused by the accumulated. The average 0.023 cc. for 1 g. of mercerized cotton.

Mercer recognition with caustic conditions were carried out. In Figure 53 are relative humidities after mercerization, mercerized and native. In this particular much water as desorption of the mercerization (Fig. 54).

RATIO OF
WATER
1.4
1.2
1.0
0.8

FIG. 54.—RATIO OF TREATED WITH NaOH AND (b) UNDER TENSION (URQUHART AND WILLIAMS¹⁵).

Another method is that of aqueous thiosulfate and by native cotton about twice as much as the alkaline substances.

¹⁷ G. Champetier

¹⁸ J. Tankard, *J.*

tension, the degree of
rial. The decrease in
uration of the cellulose



IZED COTTON (URQUHART

ption; mercerized cotton,
sorption. Points refer to
% NaOH solution; crosses
with 28% KOH solution.

sorption, and increased
surements were carried
od with helium, water,

and toluene as media. Results obtained are included in Table 8 (p. 407) of Section G of this chapter. The values obtained in helium were regarded as truly representing the specific volume, and, from the differences in the apparent values in helium and in water, the decrease in specific volume caused by the adsorption of water (the "contraction volume") was calculated. The average decrease was 0.018 cc. for 1 g. for scoured cotton and 0.023 cc. for 1 g. for mercerized cotton. This is in accord with the fact that mercerized cotton absorbs more water than does native cotton.

Mercer recognized that cotton becomes more hygroscopic after treatment with caustic, but exact measurements under strictly comparable conditions were carried out for the first time by Urquhart and Williams.¹⁵ In Figure 53 are presented the percentages of water sorbed at various relative humidities by native (kier-boiled) cotton and by the same cotton after mercerization without tension. The ratio of the water contents of mercerized and native cotton is nearly constant for all relative humidities. In this particular case, the mercerized cotton takes up about 1.5 times as much water as does native cotton. The ratio depends on the concentration of the mercerizing solution and upon the tension applied during the treatment (Fig. 54).




FIG. 54.—RATIO OF THE AMOUNT OF WATER ABSORBED BY COTTON WHICH WAS TREATED WITH NaOH SOLUTIONS OF VARIOUS CONCENTRATIONS, (a) WITHOUT TENSION AND (b) UNDER TENSION, TO THE AMOUNT OF WATER ABSORBED BY UNTREATED COTTON (URQUHART AND WILLIAMS¹⁵).

----- Adsorption.

..... Desorption.

Another method of measuring water adsorption was used by Champetier¹⁷ and Tankard¹⁸ who measured the increase in concentration of an aqueous thiosulfate solution caused by the removal of water by mercerized and by native cotton which were soaked in it. They found the increase to be about twice as great for the former as for the latter.

Alkaline substances, such as sodium hydroxide, barium hydroxide, and

¹⁷ G. Champetier, *Compt. rend.*, 195, 280 (1932).

¹⁸ J. Tankard, *J. Textile Inst.*, 28, T263 (1937).

copper (from cuprammonium hydroxide), are also adsorbed from aqueous solution more strongly by mercerized cotton than by native. As the concentration of these bases increases, the difference in adsorption disappears gradually as the fiber is transformed from the native into the mercerized state. The ratio of the amounts of Na^+ ion adsorbed from 0.5 *N* NaOH solution by mercerized and by native cellulose, and the similar ratios of Ba^{++} ion adsorption from 0.2 *N* $\text{Ba}(\text{OH})_2$, were used by Neale¹⁹ for measuring the effects produced by mercerizing cotton under various conditions (Table 2).

TABLE 2
RATIOS OF THE ALKALI ADSORPTION OF COTTON YARN MERCERIZED WITH 25% NaOH TO THAT OF NATIVE COTTON (NEALE¹⁹)

Cotton		Dried at room temperature		Dried at 110°C. for 6 hrs	
		Na^+ ion ratio	Ba^{++} ion ratio	Na^+ ion ratio	Ba^{++} ion ratio
Scoured and then mercerized	Loose (about 15% shrinkage)	2.55	2.70	2.27	2.50
	Loose and restretched	2.07	2.10	1.93	1.98
	No shrinkage allowed	1.96	2.05	1.89	1.99
	Cloth mercerized loose	2.13
Mercerized in the "gray" state and then scoured	Loose (about 15% shrinkage)	2.09	2.20	1.84	1.97
	Loose and restretched	1.76	1.79	1.78	1.83
	No shrinkage allowed	1.68	1.73	1.69	1.75

TABLE 3
AMOUNT OF BENZOPURPURIN 4 B ADSORBED BY NATIVE COTTON AND BY COTTON TREATED WITH NaOH SOLUTIONS OF DIFFERENT STRENGTHS (KNECHT²⁰)

Concentration of NaOH, %	Dye adsorbed by cotton, g. per 100 g.	Concentration of NaOH, %	Dye adsorbed by cotton, g. per 100 g.
0.00	1.77	20.5	3.27
4.5	1.88	22.5	3.38
8.5	2.39	25.0	3.50
11.0	2.57	27.0	3.56
13.5	2.95	29.0	3.60
15.5	3.02	31.5	3.60
17.5	3.15		

¹⁹ S. M. Neale, *J. Textile Inst.*, 22, T320, T349 (1931).

²⁰ E. Knecht, *J. Soc. Dyers Colourists*, 24, 68, 107 (1908).

Another effect of the sorptive power for dye the influence of the tension applied operation (Table 5), is in agreement with that the fibers exhibit mercerizing and was

AMOUNT OF BENZOPURPURIN

Cotton
Native
Mercerized unde
Mercerized with

AMOUNT

Cotton

Mercerized and dyed with
Mercerized and air-dried
Mercerized and dried at
Native

sumed that the fact recrystallization of pe

Boulton and Mort measured by the time sorption equilibrium, two samples of raw with Sky Blue FF, a their experiments. ²¹ values were 0.25 and

²¹ A. R. Urquhart, W.

²² J. Boulton and T. H.

sorbed from aqueous native. As the concentration disappears into the mercerized from 0.5 N NaOH the similar ratios of Neale¹⁹ for various conditions

Another effect of the mercerization process on the fiber is that the adsorptive power for dyes is increased. Knecht²⁰ investigated systematically the influence of the concentration of the mercerizing solution (Table 3), of the tension applied during the treatment (Table 4), and of the drying operation (Table 5), on dye adsorption. The effect of drying noticed here is in agreement with the observation of Urquhart, Bostock, and Eckersall²¹ that the fibers exhibit a much higher sorption of water immediately after mercerizing and washing than after the subsequent drying. It can be as-

TABLE 4
AMOUNT OF BENZOPURPURIN 4 B ADSORBED BY NATIVE AND BY MERCERIZED COTTON (KNECHT²⁰)

Cotton	Dye adsorbed by cotton, g per 100 g.	
	Bleached	Unbleached
Native	1.50	1.55
Mercerized under tension	2.86	2.90
Mercerized without tension	3.54	3.39

TABLE 5
AMOUNT OF DYE ADSORBED BY COTTON (KNECHT²⁰)

Cotton	Dye adsorbed by cotton, g per 100 g.	
	Benzopurpurin 4 B	Chrysophanic
Mercerized and dyed without drying	2.49	0.97
Mercerized and air-dried before dyeing	1.57	0.77
Mercerized and dried at 110°C. before dyeing	1.27	0.54
Native	0.80	0.81

MERCE-
RIZED WITH 25% NaOH

room temperature	Dried at 110°C. for 6 hrs.	
Ba ⁺⁺ ion ratio	Na ⁺ ion ratio	Ba ⁺⁺ ion ratio
2.70	2.27	2.50
2.10	1.93	1.98
2.05	1.89	1.99
2.20	1.84	1.97
1.79	1.76	1.83
1.73	1.69	1.75

COTTON AND BY COTTON
(NOTES (KNECHT²⁰))

aOH	Dye adsorbed by cotton, g. per 100 g.
	3.27
	3.38
	3.50
	3.56
	3.60
	3.60

sumed that the factor responsible for this phenomenon is a delayed recrystallization of part of the amorphous cellulose.

Boulton and Morton²² found that the speed of adsorption of dyes, as measured by the time which is necessary to reach the half value of the adsorption equilibrium, is greatly increased by mercerizing. For example, two samples of raw cotton gave half-time values of 1.1 and 1.4 minutes with Sky Blue FF, a substantive dye, under the particular conditions of their experiments. After the cottons were mercerized under tension, the values were 0.25 and 0.35 minutes, respectively.

²¹ A. R. Urquhart, W. Bostock, and N. Bickersall, *J. Textile Inst.*, 23, T185 (1932).

²² J. Boulton and T. H. Morton, *J. Soc. Dyers Colourists*, 56, 145 (1940).

One view concerning dye adsorption which cannot be explained by the increase in amorphous material is that less dye is required by mercerized cotton to produce a given shade than is required by raw cotton. This opinion is held by many workers in spite of the fact that Hübner¹³ dismissed the possibility some thirty years ago and that no quantitative tests have since been reported. It is not unlikely that such an effect is produced




FIG. 55.—REACTIVITY RATIO OF COTTON TREATED WITH NaOH SOLUTIONS OF VARIOUS CONCENTRATIONS AT 18°C. AND AT -10°C. TO THAT OF NATIVE COTTON (BIRTWELL, CLIBBENS, GEAKE, AND RIDGE¹⁴).

by the mercerization process, but the explanation for it would seem to lie in the increased luster of the fiber, which would cause a higher brilliance of the color.

The increased reactivity of mercerized cellulose, caused by the increase in amount of amorphous material, is shown by the fact that the rates of attack of hydrolyzing and oxidizing agents on it are greater than they are on native cellulose. Schwalbe¹⁴ suggested the use of the copper number, obtained from various celluloses after treatment of 15 minutes with 5% H₂SO₄ solution, as a means of characterizing the reactivity of a fiber, and

¹³ J. Hübner, *J. Soc. Chem. Ind.*, 27, 105 (1908).

¹⁴ C. G. Schwalbe, *Z. angew. Chem.*, 22, 197 (1909).

¹⁵ C. Birtwell, D. A. Clibbens, A. Geake, and B. P. Ridge, *J. Textile Inst.*, 21, T85 (1930).

he found that this value Birtwell, Clibbens, Geake substitution of an alkali hydrolysis, and they obtained mercerizing temperature, and (Figs. 55 and 56).

From a thermodynamic and the increase in amount result in a difference in cellulose. Several attempts




FIG. 56.—RATIO OF THE AMOUNT OF WATER ABSORBED BY COTTON TREATED WITH NaOH SOLUTIONS OF VARIOUS CONCENTRATIONS AT 18°C. AND AT -10°C. TO THAT OF NATIVE COTTON (BIRTWELL, CLIBBENS, GEAKE, AND RIDGE¹⁴).

difference. Measurements. More successful, Morrison, Campbell, and of reaction of cellulose with concentrations of alkali, obtain same product and the difference in the energy. With zero concentration mercerized form yielded larger "internal surface" native ramie up to an al

¹⁶ I. Okamura, *Naturwissenschaften*.

¹⁷ J. L. Morrison, W. B. C.

he found that this value is greatly increased by the mercerization process. Birtwell, Clibbens, Geake, and Ridge²² used the same procedure, with the substitution of an alkaline hypobromite treatment for the sulfuric acid hydrolysis, and they obtained results illustrating the effect of the mercerizing temperature, and of the concentration of the mercerizing solution (Figs. 55 and 56).

From a thermodynamic point of view both the change in crystal structure and the increase in amorphous material during the mercerization should result in a difference in energy content between native and mercerized cellulose. Several attempts have been made to determine this energy




FIG. 56.—RATIO OF THE AMOUNT OF WATER ABSORBED BY COTTON WHICH WAS TREATED WITH NaOH SOLUTIONS OF VARIOUS CONCENTRATIONS AT 18°C. AND AT -10°C. TO THAT OF THE UNTREATED COTTON (BIRTWELL, CLIBBENS, GEAKE, AND RIDGE²²).

difference. Measurement of the heats of combustion revealed no difference. More successful, however, were the studies of Okamura²³ and of Morrison, Campbell, and Maass²⁷ based on the determination of the heat of reaction of cellulose with sodium hydroxide. At the mercerizing concentrations of alkali, obviously, both modifications of cellulose yield the same product and the difference in the heat of reaction therefore gives the difference in the energy content. Okamura used ramie fibers (Fig. 57). With zero concentration of sodium hydroxide, *i. e.*, with pure water, the mercerized form yielded the higher energy of wetting, a consequence of the larger "internal surface." There was very little rise in heat evolution for native ramie up to an alkali concentration of 5%, but above that concen-

²³ I. Okamura, *Naturwissenschaften*, 21, 393 (1933).

²⁷ J. L. Morrison, W. B. Campbell, and O. Maass, *Can. J. Research*, 18B, 168 (1940).

tration it was quite large. The heat of wetting of mercerized cellulose, on the other hand, rose rapidly with increase in alkali concentration up to 10% and then remained fairly constant up to 18%. Above 20% the difference between the heats of wetting of the native and the mercerized ramies was constant at a value even smaller than the difference between the heats of wetting in pure water. This constant difference of 1.5 cal. for each g. is, therefore, equal to the difference in energy content of the native and mercerized fibers, with the mercerized fibers having the higher energy content.




FIG. 57.—HEAT OF REACTION OF (a) NATIVE AND (b) MERCERIZED RAMIE WITH NaOH (OKAMURA¹⁸).

Morrison, Campbell, and Maass¹⁷ obtained analogous results with bleached cotton, except that the energy differences were three times as large (Fig. 58). However, the absolute values of the heat evolved were also three times those for ramie, so that the ratios of the energy differences to the absolute values were practically unchanged. For bleached cotton, the energy content of the mercerized fibers was 6.6 cal. per g. higher than that of the native fibers.

Effects of the Change in Orientation of the Crystallites. If mercerization is carried out without tension, the cotton fibers shrink. Under identical conditions the extent of shrinkage depends on the tension applied. The x-ray diagram proves that by mercerization without tension the orientation of the

cellulose crystallites of degree of orientation. Obviously, the shrinkage of cellulose crystallites with their major axis nearly at right angle to the latter (co





FIG. 5
(b) MER
CAMPBELL

The extent of shrinkage of factors similar to characteristics, and al

The effect of the :
Nodder and Kinkad, an even greater extent of cotton is partly twisted in the native : of convolutions has i served change in lengt Up to a sodium hyd

¹⁸ C. R. Nodder and R.

amorphized cellulose, on concentration up to 10% over 20% the difference between the heats of 1.5 cal. for each g. is, ent of the native and the higher energy con-



40 44 48

AND (b) MER-
CERIZED COTTON.

analogous results with es were three times as heat evolved were also ne energy differences to or bleached cotton, the per g. higher than that

es. If mercerization is c. Under identical con- on applied: The x-ray on the orientation of the

cellulose crystallites decreases. With careful application of tension, the degree of orientation of native cellulose can be retained or even increased. Obviously, the shrinkage of the fiber is caused by the disorientation of the cellulose crystallites which in the native fiber are preferably aligned with their major axis nearly parallel to the fiber axis (flax, ramie) or at a steep angle to the latter (cotton).




FIG. 58.—HEAT OF REACTION OF (a) NATIVE AND (b) MERCERIZED COTTON WITH NaOH (MORRISON, CAMPBELL, AND MAASS¹⁷).

The extent of shrinkage under identical conditions of tension varies with other factors similar to those affecting swelling: type of fiber, fiber surface characteristics, and alkali concentration.

The effect of the first factor mentioned was shown by the work of Nodder and Kinkade, which showed that ramie and flax fibers contract to an even greater extent than cotton on mercerization. The smaller shrinkage of cotton is partly explained by the fact that the fibers, which are highly twisted in the native state, untwist in the alkaline solution. The removal of convolutions has itself a lengthening effect on the fibers, and the observed change in length is the resultant of this effect and of the contraction. Up to a sodium hydroxide concentration of about 8%, the effect of the

¹⁷ C. R. Nodder and R. W. Kinkade, *J. Textile Inst.*, 14, T133 (1923).

untwisting overbalances the contraction, and a lengthening of the fiber is observed.

Native, scoured, and rubbed fibers all show differences in the amount of shrinkage which they undergo on mercerization. Rubbed fibers show shrinkage even greater than that shown by scoured cotton (Fig. 59).

The effect of alkali concentration on shrinkage is similar to its effect on swelling when sodium hydroxide is used, but if other alkali hydroxides are included in the investigation, no general correlation between the shrinkage and the swelling can be established. Collins²⁹ carried out such experiments




FIG. 59.—LONGITUDINAL SHRINKAGE OF COTTON FIBERS IN NaOH SOLUTIONS (CALVERT⁴).

Lower curve: raw hairs.

Middle curve: scoured hairs.

Upper curve: rubbed hairs.

with five different alkali hydroxides. His results are presented in Figure 60. The curves connect points found with increasing concentration of the hydroxides, the highest values of which are 48% NaOH, 52% KOH, 11% LiOH, 65% RbOH, and 80% CsOH. In these experiments the same fiber was exposed to alkali hydroxide solutions of increasing concentration and no maximum was observed in the shrinkage. Striking differences between the effects of the alkalis are observed when the changes in length, which correspond to an increase of, for example, 25% in the diameter of the fiber, are compared.

²⁹ G. E. Collins, *J. Textile Inst.*, 16, T123 (1925).

The effect of the similar to that of instance, the shrink similar to that of ment (Fig. 61). If much less tension i

6
4
2
0
-2
-4
-6
-8
-10

FIG
LENG
FIBER
(COLI

(Fig. 62). Obviou Measurements of tl to prevent shrinkag 3.8, 3.0, and 2.2 k; LiOH of 40%, 25%

The changes in c

³⁰ R. O. Herzog, *Ko*

ning of the fiber is

es in the amount of
ubbed fibers show
n (Fig. 59).

imilar to its effect on
alkali hydroxides are
between the shrinkage
ut such experiments

30

TON
).

resented in Figure 60.
concentration of the
NaOH, 52% KOH,
experiments the same
reasing concentration
Striking differences
the changes in length,
in the diameter of the

The effect of the surface layer of the fiber on the shrinkage is somewhat similar to that of the tension. This is demonstrated by the fact that, for instance, the shrinkage diagram of scoured cotton can be modified to be similar to that of raw cotton by applying tension during the alkali treatment (Fig. 61). If the tension is applied before the treatment with caustic, much less tension is required to obtain the same lowering of shrinkage




FIG. 60.—RELATIONSHIP BETWEEN THE CHANGE OF LENGTH AND THE CHANGE OF DIAMETER OF THE FIBERS IN ALKALI HYDROXIDE SOLUTIONS (COLLINS²³).

(Fig. 62). Obviously, a state of equilibrium is not completely attained. Measurements of the absolute magnitude of the tension which is necessary to prevent shrinkage of fibers were carried out by Herzog,²⁴ who found that 3.8, 3.0, and 2.2 kg./mm.² prevented shrinkage when KOH, NaOH, and LiOH of 40%, 25%, and 10% concentration, respectively, were used.

The changes in orientation are reflected in the changes in the refractive

²⁴ R. O. Herzog, *Kolloid-Z.*, 39, 98 (1926).

indices of fibers during mercerization. Preston¹¹ observed that both the transverse refractive index n_x and the axial refractive index n_z are lowered by mercerization without tension (Table 6). He calculated from the changes in index an average angle of inclination of the crystallites to the axis of the fiber and, from the angle of inclination, the contraction which the fiber underwent during the alkali treatment. Incidentally, the fact that n_x dropped on mercerization instead of rising to approach n_z demon-




FIG. 61.—LONGITUDINAL SHRINKAGE OF SCAURED COTTON FIBERS MEASURED UNDER VARIOUS TENSIONS AFTER FREE SHRINKAGE WAS ALLOWED (CALVERT¹²).

strated that the single crystallite of mercerized cellulose has a lower refractive index than has the single crystallite of native cotton.

The most important fiber properties which are affected by the orientation of the crystallites are breaking strength and extensibility. The extensibility of a highly oriented fiber is very small, but its breaking strength is high. In fact, Schubert¹² reported that single fibers mercerized under tension had higher breaking strengths than did native fibers (Fig. 63).

¹¹ J. M. Preston, *Trans. Faraday Soc.*, 29, 65 (1933).

¹² C. Schubert, *Dissertation*, Dresden, 1926.

This effect is prot
section by the swe

CHANGES IN THE R_i

Ramie and flax, na
Flax, mercerized ur
Flax, mercerized w
Cotton, native
Cotton, mercerized
Cotton, mercerized
Lillienfeld rayon
Lillienfeld rayon, 2

mercerizing incr
The quantitative

observed that both the refractive index n_y are 6). He calculated from ion of the crystallites to n , the contraction which. Incidentally, the fact to approach n_y demon-

This effect is probably due to the production of a more uniform fiber cross section by the swelling process. The claim has repeatedly been made that




FIG. 62.—LONGITUDINAL SHRINKAGE OF SCoured COTTON FIBERS WHEN TREATED UNDER VARIOUS TENSIONS WITH NaOH SOLUTIONS (CALVERT¹).

TABLE 6
CHANGES IN THE REFRACTIVE INDICES OF CELLULOSE FIBERS CAUSED BY MERCERIZING (PRESTON¹¹)

Fiber	n_y	n_x	$n_y - n_x$
Ramie and flax, native	1.596	1.528	0.068
Flax, mercerized under tension	1.571	1.517	0.054
Flax, mercerized without tension	1.556	1.518	0.038
Cotton, native	1.578	1.532	0.046
Cotton, mercerized under tension	1.586	1.522	0.064
Cotton, mercerized without tension	1.554	1.524	0.030
Lilienfeld rayon	1.559	1.515	0.044
Lilienfeld rayon, mercerized without tension	1.550	1.515	0.035

mercerizing increases the mechanical strength of fabrics and yarns also. The quantitative data on this subject are, however, contradictory.

OF SCoured
rious TEN-
ALLOWED

cellulose has a lower re-
ive cotton.

affected by the orienta-
and extensibility. The
small, but its breaking
it single fibers mercerized
lid native fibers (Fig. 63).

Changes Produced in the Microscopic Structure of the Fibers. For an understanding of the increased luster (technically the most important change produced by mercerization) a study of the changes produced in the microscopic structure of the fiber is required. Immediately before the ripe boll bursts open and exposes its flocks of cotton to the atmosphere, the fibers are tubular, with the hollow center (the "lumen") occupying a considerable portion of the cross section. No convolutions or twists are present, and the cross sections approach very closely to an elliptical or even




FIG. 63.—DEPENDENCE OF THE PROPERTIES OF COTTON FIBERS ON THE CONCENTRATION OF THE MERCERIZING SOLUTION (SCHUBERT²²).

circular form. On exposure to the air, the fiber dries out quickly and collapses to form a flat, convoluted ribbon. Commercial cotton hair is in this form.

When the cotton hair is brought into a mercerizing solution, it begins to swell at once. In a few seconds it becomes elliptical, and, on further swelling, the cross section becomes almost circular. The diameter of this section is at least 25 to 30% greater than the width of the collapsed fiber.²³ These stages of the swelling are shown diagrammatically in Figure 64. During

²² M. A. Calvert and F. Summers, *J. Textile Inst.*, 16, T233 (1925).

the mercerizing process, the alkali treatment causes the fiber to shrink. During this process, but the shrinkage does not recover its original form.

There are some stages in the process. There was an open cotton hair was mercerized hair is treated at any stage.

FIG. 64.—CHANGES

- Key: (a) Fully
(b) Same
(c) Same
(d) Same

some kind of organic fibrils, which process it seems necessary what as a skin process and while the mercerizing process is responsible for the cylindrical form is retained. The surface of

the fibers. For an the most important nges produced in the lately before the ripe the atmosphere, the n") occupying a cons ns or twists are pres-an elliptical or even

the mercerizing process, the cellulose of the wall swells inwardly. After the alkali treatment and during the washing and drying, the cross section shrinks. During this shrinkage, the hair retains the same circular form, but the shrinkage proceeds uniformly toward the axis and the lumen does not recover its original size.

There are some features of this process which are not fully understood. There was an opinion that the original circular form of the undried, ripe cotton hair was restored by mercerization. However, the lumen of the mercerized hair is filled with cellulose to an extent which is never encountered at any stage of development of the native fiber. There is obviously





FIG. 64.—CHANGES OF THE FORM OF THE CROSS SECTION OF COTTON FIBERS DURING MERCERIZING (CALVERT AND SUMMERS¹¹).

- Key: (a) Fully collapsed hair.
(b) Same, swollen in 18% NaOH solution.
(c) Same, washed with water.
(d) Same, washed and dried.

some kind of organization in the native cotton fiber, possibly between the fibrils, which provokes its collapse on exposure to air. On the other hand, it seems necessary to assume that the outer wall of the fiber functions somewhat as a skin which exerts a mechanical restraint on the mercerization process and which is responsible for the cylindrical form attained during the mercerizing. By the strong swelling, the arrangement which was responsible for the collapse of the native hair is broken up, and the cylindrical form is retained upon subsequent drying.

The surface of the hair which has been treated in mercerizing solution



OF COTTON
MERCERIZING

ries out quickly and rcial cotton hair is in

g solution, it begins to and, on further swell- diameter of this section lapsed fiber.¹¹ These in Figure 64. During

3 (1925).

without tension is smoother than that of the native fiber and the convolutions have disappeared, but, if the mercerizing is carried out under tension, the lumen is even more constricted, the transverse section is perfectly cylindrical, and the surface is perfectly smooth. The numerous folds and indentations are completely eliminated. Obviously, drying causes a certain constriction of the skin which results in folds and creases of the surface, provided no tension is applied. By what mechanism the application of the tension during the swelling, *i. e.*, the stretching of the skin in the direction of the fiber axis at the expense of the perimeter, prevents the folding during the subsequent drying operation, is not clear. Possibly




FIG. 65.—CROSS SECTIONS OF COTTON HAIRS (ADDERLEY¹⁴).

- Key: (a) Native cotton hairs with low luster with average ratio of length of major axis to that of minor axis equal to 2.95.
 (b) Native cotton hairs with high luster with average axis ratio of 2.00.
 (c) Mercerized cotton hairs with average axis ratio of 1.60.

peculiarities of the organization of the primary wall have a decisive role here.

Through quantitative measurements on single fibers, Adderley¹⁴ demonstrated that the luster of cotton increases as the cross section of the hairs approaches a circular form. The correlation is a very good one, regardless of whether the cotton is mercerized or native (Figs. 65 and 66). The luster of flax and ramie, which is considerable even in the native state, is not increased by the mercerizing process. It seems, therefore, that the microscopic fiber structure is the determining factor in the amount of luster possessed by a fiber.

¹⁴ A. Adderley, *J. Textile Inst.*, 15, T195 (1924).

The change i
 cerization with
 which occurs ma
 in the direction
 and drying, whi
 in the transver

1
 1
 1
 1
 1
 LUSTER

FIG. 66.—LUSTER
 LENGTH OF THE 2
 (ADDERLEY¹⁴).

A-P: Native co
 Q-S: Merceriz

take-up of water
 chains and crys
 to the fiber axis.
 explanation; be
 mercerization p
 theory of the m

The present
 substances pern

2. Theory of Mercerization

The change in dimensions of the cellulosic fiber in the process of mercerization without tension is the resultant of two components: swelling, which occurs mainly in the transverse direction, and shrinking, which occurs in the direction of the fiber axis. The first change is reversible with washing and drying, while the second is not. That the swelling is more pronounced in the transverse direction is easily explained by the assumption that the




FIG. 66.—LUSTER NUMBER OF COTTON FIBERS AS A FUNCTION OF THE RATIO OF THE LENGTH OF THE MAJOR AXIS OF THE CROSS SECTION TO THAT OF THE MINOR AXIS (ADDERLEY¹⁴).

A-P: Native cotton.

Q-S: Mercerized cotton.

take-up of water occurs mostly in the transverse direction to the cellulose chains and crystallites and that the latter are preferably oriented parallel to the fiber axis. Nevertheless, the fact of contraction in length requires an explanation; because of the importance of shrinkage and tension in the mercerization process, this explanation occupies the foremost place in the theory of the mercerization.

The present knowledge of the mechanical properties of high-polymeric substances permits a derivation of such a theory. According to the ideas of

fiber and the con-
s carried out under
verse section is per-
The numerous folds
sly, drying causes a
s and creases of the
mechanism the appli-
cating of the skin in
imeter, prevents the
not clear. Possibly



DERLEY¹⁴).

: ratio of length of major

ge axis ratio of 2.00.
of 1.60.

have a decisive role

s, Adderley¹⁴ demon-
s section of the hairs
good one, regardless
(and 66). The luster
ative state, is not in-
fore, that the micro-
he amount of luster

Bungenberg de Jong,³⁸ Hermans and de Leeuw,³⁶ and Kratky,³⁷ the crystalline regions of the cellulose fiber are bound in a mesh of amorphous cellulosic material. In the native fiber the amorphous material is in the extended state, *i. e.*, the cellulose molecules have more or less the form of straight rods, probably as a consequence of the natural growth process. According to the theory of Meyer, von Susich, and Valko,³⁵ the extended chain molecules have a tendency to regain a statistically more probable configuration: that corresponding to a coil or tangle of thread. This tendency is the basis of the rubber-like elasticity of all elastomers. The elaboration of this idea in a quantitative way was furnished by Mark and his coworkers³⁹ and independently by Kuhn.⁴⁰ The high viscosity of the cellulosic material does not allow a contraction of the chains. The swelling in sodium hydroxide solution diminishes the friction between the chains thus allowing the contraction. Since the crystallites are suspended in the mesh of the extended chains, the contraction of these chains causes a disorientation of the crystallites.

According to the above theory, native cellulose can be compared with rubber which has been cooled under tension and, because of the high viscosity, does not contract after release of the tension until it is brought again to a certain temperature. Similar phenomena are shown by other high-polymeric substances, such as: collagen, which, when it is dry, shrinks at 90–120°C., but when it is wet, shrinks even at 60–80°C.⁴¹; and silk, which shrinks extensively on exposure to the swelling action of formic acid to give a product of rubber-like elasticity.

The fact that the shrinkage phenomenon of native cellulose fibers is not due to some peculiarity of the native fibrillar structure is demonstrated by the observation that cellophane⁴² and cuprammonium rayon⁴³ display a completely analogous shrinkage in caustic soda solution. These materials are fixed in the extended state by the coagulation under tension during the spinning process. Bungenberg de Jong subjected cellulose xanthate in the plastic state to a stress and fixed it in the extended state by treatment with acid. He found that cellulose so obtained undergoes even in water a longitudinal contraction with a simultaneous increase in diameter.

³⁵ H. G. Bungenberg de Jong, *Z. physik. Chem.*, **130**, 205 (1927).

³⁶ P. H. Hermans and A. J. de Leeuw, *Kolloid-Z.*, **81**, 300 (1937).

³⁷ O. Kratky, *Kolloid-Z.*, **70**, 14 (1935).

³⁸ K. H. Meyer, G. von Susich, and E. Valko, *Kolloid-Z.*, **59**, 208 (1932).

³⁹ E. Guth and H. Mark, *Monatsh.*, **65**, 93 (1934).

⁴⁰ W. Kuhn, *Kolloid-Z.*, **68**, 2 (1934); **76**, 258 (1936); **87**, 3 (1939).

⁴¹ G. van Iterson, Jr., *Chem. Weekblad*, **30**, 2 (1933).

⁴² G. Saito, *Kolloid-Beihfte*, **49**, 365 (1939).

A determination of the interest from the co-fibers which are in while the variable treatment, the tension, and the

Schubert⁴⁴ has shown that the original length of the fiber is maintained with the mercerization or change in the strength, as with 16% NaOH and further change

3. Optimum Conditions for Mercerization

A determination of the optimum conditions for mercerization is of interest from the commercial point of view. The properties of the mercerized fibers which are important are luster, breaking strength, and extensibility, while the variables which may change these properties are the time of treatment, the temperature of treatment, the concentration of alkali, the tension, and the previous treatment of the fibers.




FIG. 67.—SHRINKAGE OF COTTON YARN SUFFERED BY TREATMENT WITH NaOH SOLUTIONS OF VARIOUS CONCENTRATIONS AT VARIOUS TEMPERATURES (BIRTWELL, CLIBBENS, GEAKE, AND RIDGE¹⁵).

Schubert²² has investigated the effect of the sodium hydroxide concentration. The fibers were allowed to shrink and then were stretched to their original length before washing out the caustic soda. The shrinkage obtained with the caustic soda before stretching was noted. The degree of mercerization of the finished fiber was measured by the extent of the change in the x-ray diagram. The results (Fig. 63) show that the breaking strength, as well as the luster, reached its highest value at about 16% NaOH and an increase in the concentration of the alkali brought no further change in these properties. The x-ray diagram showed that the

they,²⁷ the crystalline material is in the extended form of growth process. The extended is more probable of thread. This elastomers. The hed by Mark and h viscosity of the the chains. The ction between the tes are suspended se chains causes a

be compared with ause of the high until it is brought e shown by other n it is dry, shrinks 30°C.²⁸; and silk, ion of formic acid

lulose fibers is not s demonstrated by rayon²⁹ display a . These materials tension during the se xanthate in the by treatment with n in water a longi- eter.

).
7).

08 (1932).

(39).

degree of mercerization was 100% at about 18% NaOH. The shrinkage has an optimum value at about 17% NaOH. The extensibility decreases with increasing concentration and the lower limit is reached at 16% NaOH, probably as a result of complete untwisting of the fiber.

A systematic investigation of the effect of temperature and concentration of the mercerizing solution on the properties of cotton yarn was carried out by Edelstein.⁴³ The temperatures were 15°C., 32°C., and 43°C., and the NaOH concentrations, 13%, 15.5%, 22.5%, and 29%. It was found, in agreement with the results of Birtwell, Clibbens, Geake, and Ridge²⁸ (Fig. 67), that the lower the temperature of the particular caustic solution, the greater was the tension necessary to prevent the yarn from shrinking in

TABLE 7
EFFECT OF STRETCHING DURING MERCERIZING ON THE PROPERTIES OF EGYPTIAN COTTON FIBERS* (SCHUBERT¹¹)

Stretched, mm.	Breaking load, g.	Extension at break, %	Luster number
0.00	9.8	10.3	4.3
1.00	9.8	11.1	5.7
1.90	10.2	9.4	5.5
2.65	10.2	6.5	7.8
3.00	10.4	5.8	7.7
3.45	10.4	5.3	7.3

* Original length 14.80 mm.; shrinkage 2.62 mm.

the solution and the greater was the dye affinity, the barium absorption ratio, and the tensile strength of the mercerized yarn. However, the effect of temperature on the mercerization was slight when caustic solutions of high concentration were used. With caustic solutions at lower concentrations, the maximum luster was reached at the lowest temperature, but, with a caustic solution of 50 to 65° Twaddell (23-30%), it was reached at a temperature of 32°C.

The effect of tension when applied after shrinkage was allowed is shown in Table 7. The optimum luster was reached when the original length was restored, but the absolute strength, per unit of diameter of fiber, increased slightly on further increase in the amount of stretching. When this absolute strength is calculated, the decrease in diameter of the fiber by the stretching is to be taken into account.

⁴³ S. M. Edelstein, *Am. Dyestuff Repr.*, 25, P458, F724 (1936); 26, P423 (1937).

Edelstein⁴³ for particular caustic affinity for dyes much higher than findings do not fibers, if it is to prevent shrink sufficient to prev

In commercial contact with the fore necessary to short time. Th cotton. If the agent must be s tances which are used and which the fiber. The n

H. The shrinkage sensibility decreases hed at 16% NaOH,

e and concentration yarn was carried out and 43°C., and the . It was found, in eake, and Ridge²⁵ lar caustic solution, rn from shrinking in

PROPERTIES OF EGYPTIAN

Luster number	
	4.3
	5.7
	6.5
	7.8
	7.7
	7.3

e barium absorption However, the effect caustic solutions of ns at lower concen- st temperature, but,), it was reached at a

was allowed is shown e original length was ter of fiber, increased ing. When this ab- r of the fiber by the

Edelstein⁴⁸ found that the greater the tension applied to the yarn in a particular caustic solution, the greater was the luster and the less was the affinity for dyes of the finished material. This holds even if the tension is much higher than that which is just necessary to prevent shrinkage. These findings do not disagree with the results of Schubert (Table 7) on single fibers, if it is taken into account that a tension which may be sufficient to prevent shrinkage of the yarn or fabric as a whole is not necessarily sufficient to prevent the shrinkage of the single fiber by slipping.

In commercial practice the fibers are generally not allowed to remain in contact with the mercerizing solution for more than a minute. It is therefore necessary to obtain a complete penetration of the fabric or yarn in this short time. This is generally achieved by using scoured (alkali-boiled) cotton. If the mercerization is carried out with raw cotton, a wetting agent must be added to the bath. These agents are surface-active substances which are stable even at the high sodium hydroxide concentration used and which lower the interface tension against the surface impurities of the fiber. The most widely used agents are higher homologs of phenol.

Chapter 9

Crystalline Alkali-Cellulose Complexes
as Intermediates During MercerizationAnatole Sarko, Hisao Nishimura¹, and Takeshi Okano²Department of Chemistry and Cellulose Research Institute, College of Environmental
Science and Forestry, State University of New York, Syracuse, NY 13210

During a controlled mercerization of ramie cellulose, the cellulose I crystal structure is irreversibly converted to cellulose II through several crystalline alkali-cellulose complexes. The crystal structures of three of the complexes -- Na-celluloses I, IIB, and IV -- are providing information on the characteristics of the interactions between cellulose and the Na⁺ ions, on the forces operating in the formation of these structures, and on the likely mechanism of the conversion. Although the formation of secondary bonds between Na⁺ ions and the hydroxyl groups of cellulose must be an important driving force in the formation of crystalline complexes, the hydrophobic attractions between cellulose chains appear to be at least as important. The transformation of the parallel-chain structure of cellulose I to an antiparallel one takes place already during the initial conversion step, from cellulose I to Na-cellulose I.

It was observed in earlier studies of controlled alkali-mercerization of ramie cellulose that the crystal structure of native cellulose is transformed to cellulose II through a series of crystalline alkali-cellulose complexes (1,2). The relationships between these "Na-celluloses" and their pathways of transformation are illustrated in Fig. 1. It has further been observed that all of the transformations are crystal-to-crystal phase changes, not involving intermediate amorphous phases. All of the experimental evidence has suggested

¹Current address: Research Center, Daicel Chemical Industries, Ltd., Himeji, Japan²Current address: Department of Forest Products, Faculty of Agriculture, University of Tokyo, Bunkyo, Tokyo, Japan

that the first conversion step -- from cellulose I to Na-cellulose I -- is apparently the step in which a transformation of the parallel-chain polarity to the antiparallel one takes place.

As shown by the x-ray diffraction diagrams reproduced in Fig. 2, the Na-celluloses exhibit a relatively high degree of crystallinity and excellent crystalline orientation. In view of this, further delineation of the transformations and the mechanism of mercerization were attempted through the crystal structure analysis of three of the complexes: Na-celluloses I, IIB, and IV. All analyses have now been nearly completed, and a preliminary account of the results is given below. The detailed descriptions of the crystal structures will be published separately after the completion of the studies.

Experimental

The methods of sample preparation, the characteristics and the probable composition of all of the complexes, and the procedures for obtaining x-ray fiber diffraction diagrams have been previously described in detail (1,2). The procedures of crystal structure analysis followed in these studies are identical to those used in previous analyses concerned with the structures of celluloses and other polysaccharides (cf., in particular, refs. 3-5). In all cases, both stereochemical and crystallographic structure refinements were carried out in parallel. The refinement of both the chain conformation and the chain packing were conducted with completely flexible chain models, using computational procedures that allow any desired structural parameter to be made a refinable variable (3). The positions of the solvent and the complexing molecules in the unit cell were explicitly considered, whenever warranted (5). Further details of the analysis and the refinement procedures will be given in reports dealing with the individual crystal structures.

Results

Na-cellulose I. The structure of the Na-cellulose I complex, although not as crystalline as that of cellulose I, obviously shows an equally good fibrous orientation (cf. Fig. 2A). The crystal structure is described by a large, four-chain unit cell, shown in Fig. 3. It contains 8 Na⁺ and OH⁻ pairs of ions and probably 16 molecules of water. The chain conformation is marked by features common to all crystalline cellulose polymorphs: an approximately 10.3 Å fiber repeat, a ribbon-like, twofold helical molecular shape, and the familiar O(3)—O(5') and O(6)—O(2'') intramolecular hydrogen bonds. The characteristics of the chain packing are in accord with this chain conformation, showing a stacking into sheets along two directions. The presence of NaOH and water in the crystal structure, however, obviously contributes to considerable differences between the structures of Na-cellulose I and cellulose I.

The major difference between these two crystal structures resides in the chain packing polarity. As expected from the conversion studies and the irreversibility of the cellulose I to Na-cellulose I transformation, the crystal structure of Na-cellulose I is based on antiparallel chains (cf. Fig. 3). Because of the presence of Na⁺ ions, which apparently form secondary bonds with the cel-

Fig. 1.
cellulose
ref. 1



Fig. 2.
(B) Na-
vertica:

Fig. 3.
8.83, b
are shown
tions of
dashed 1




Fig. 1. Transformation pathways between cellulose and Na-cellulose crystal structures. (Reproduced with permission from ref. 1. Copyright 1986 John Wiley & Sons, Inc.)





Fig. 2. X-ray fiber diffraction diagrams of: (A) Na-cellulose I, (B) Na-cellulose IIB, and (C) Na-cellulose IV. (Fiber axis is vertical).



Na-Cell I

Fig. 3. The unit cell of Na-cellulose I in x-y projection: $a = 8.83$, $b = 25.28$, c (fiber axis) $= 10.29$ Å. The cellulose chains are shown in outline only, and filled circles indicate the positions of Na^+ ions. Secondary and hydrogen bonds are shown by dashed lines.

lulose hydroxyl groups, all of the interchain hydrogen bonds that ordinarily stabilize the cellulose I structure have been broken. As a result, distances between chains in the *b* direction of the unit cell have increased and intermolecular hydrogen bonds are not present. Nonetheless, the chains are still arranged in sheet-like structures, both along the *a* and *b* dimensions of the unit cell. It appears that these sheet-like formations result from the ribbonlike conformation of the cellulose molecule and, as discussed later, hydrophobic attractions.

Na-cellulose IIB. When Na-cellulose I is allowed to absorb more NaOH, a considerably different crystal structure results (cf. Fig. 4). The chain conformation departs from 2₁ symmetry and forms, instead, a threefold helix. The helices pack antiparallel in a hexagonal fashion, with a relatively large separation distance. The unit cell contains more than 60% of non-cellulose constituents -- NaOH and water -- surrounding each helix with a liquid-like structure. The presence of a large number of Na⁺ ions quite likely results in the formation of many secondary bonds between the cellulose hydroxyls and the ions, forcing a scission of the remaining intramolecular hydrogen bonds that are present in the Na-cellulose I structure.

The threefold helices of cellulose are chiral, i.e., their left- and righthanded conformations are not identical. It is not yet known whether the structure of Na-cellulose IIB is characterized by one particular helix handedness, as both conformations are stable and of not very different conformational energy. The x-ray diffraction diagram (cf. Fig. 2B) is rich in detail and it should be possible to determine the handedness of the Na-cellulose IIB helix from a detailed x-ray refinement.

Na-cellulose IV. After all of the alkali has been washed from the Na-cellulose IIB complex, but prior to its drying, an x-ray diffraction diagram very similar to that of cellulose II is obtained (cf. Fig. 2C). The crystal structure of this intermediate -- Na-cellulose IV -- is based on a two-chain, monoclinic unit cell that is indeed very similar to that of cellulose II (cf. Fig. 5). The similarities extend to an antiparallel chain packing and a hydrogen-bonded sheet structure (6); the differences arise from the presence of two water molecules in the unit cell. The water molecules are situated in crystallographically defined positions, within the sheets composed of corner chains, i.e., between chains of like polarity. As a consequence, they participate in the hydrogen bonding linking the chains in the *b* direction of the unit cell. In so doing, they lengthen the *b*-axis relative to cellulose II. Although the overall pattern of hydrogen bonds in Na-cellulose IV differs little from that in cellulose II, there are some significant differences (6). For example, because the water molecules disrupt the O(3)-O(6) intermolecular hydrogen bonds between the corner chains, the normally *tg* conformation of the corner chain O(6) hydroxyls is changed to *gt* in Na-cellulose IV. This evidently allows the formation of a maximum number of hydrogen bonds, as each water molecule takes part in four hydrogen bonds. The center chains, not having any water molecules present within the sheet, retain the *gt* O(6) conformations and the

Fig.
= *b* =
is as
Fig.
Gordo

Fig
9.5
tio
see




Fig. 4. The unit cell of Na-cellulose IIB in x-y projection: $a = b = 14.94$, c (fiber axis) = 15.39 Å, $\beta = 120^\circ$. The unit cell is assumed to be filled with NaOH and water. (Also see caption of Fig. 3). (Reproduced with permission from ref. 13. Copyright 1985 Gordon & Breach.)




Fig. 5. The unit cell of Na-cellulose IV in x-y projection: $a = 9.57$, $b = 8.72$, c (fiber axis) = 10.35 Å, $\beta = 122^\circ$. The positions of water molecules are indicated by filled circles. (Also see caption of Fig. 3).

intermolecular hydrogen bonds that are characteristic of cellulose II.

Discussion

From the point of view of the mechanism of mercerization, the features of these crystal structures and their interlinking transformations support our present understanding of the process. For example, it is known from previous studies that the conversion of cellulose I to Na-cellulose I begins in amorphous regions of the former, and proceeds initially by converting both such regions as well as the small crystallites (7,8). The amorphous or poorly crystalline regions of cellulose I are of the order of 30-40 Å in lateral dimensions, as indicated by crystallite size measurements (7). Therefore, a considerable amount of cellulose I material can be converted to Na-cellulose I before the larger crystallites are attacked. The conversion thus proceeds for the most part in the presence of crystallites of cellulose I that may exert a directing influence toward the product that forms. The threefold helical Na-cellulose IIB is likely to be a more stable structure relative to Na-cellulose I, but it apparently is not formed in the presence of unconverted cellulose I. The initial conversion to an alkali-complexed cellulose may, consequently, be controlled by some features of the sheet-oriented crystalline celluloses.

The antiparallel structure of Na-cellulose I is also not surprising. It is now well understood that a cellulose fiber is composed of a large number of microfibrils that are essentially single crystals in cross section. The microfibrils of cellulose I are parallel-chain single crystals whose formation is directed by biological processes (9). The aggregation of microfibrils into a fiber, however, is most likely a statistically random process, resulting in a fiber morphology that is marked by roughly equal numbers of "up" and "down" pointing microfibrils. The majority of the non-crystalline or amorphous regions in a cellulose I fiber may, therefore, be thought of as interfacial regions between microfibrils that are randomly pointing in two directions (cf. Fig. 4 in ref. 2). A supply of antiparallel-oriented chains is thus readily available, leading to an antiparallel-chain crystal structure with little effort in lateral rearrangement of chains. The presence of hydrogen-bond breaking NaOH in considerable quantity certainly facilitates lateral segmental motion and the resulting transformation to Na-cellulose I. These processes and the above-described fiber morphology are schematically illustrated in Fig. 6.

Once all vestiges of an interchain hydrogen-bonded cellulose structure have disappeared and the NaOH supply is sufficiently large, the more stable threefold helical Na-cellulose IIB structure forms quickly and easily. As reference to any conformational energy map of cellulose shows (cf., for example, Fig. 2 of ref. 10), both left- and righthanded threefold helical conformations of an isolated cellulose chain are within the allowed region of cellulose conformations. They are not within the minimum energy regions surrounding the twofold helical chain because of the absence of intramolecular hydrogen bonds. By providing a field of electrostatic attraction from the surrounding Na⁺ ions and the probable formation of many secondary

Fig.
to 1
are
cate
are
ref.

Fig
an
in
Fi
ec




Fig. 6. Probable conversion of the cellulose I crystal structure to that of Na-cellulose I by the action of NaOH. Crystallites are indicated by boxed-in areas and chains by circles; + indicates "up" and - indicates "down" chain directions. The Na^+ ions are denoted by filled circles. (Reproduced by permission from ref. 8. Copyright 1987 John Wiley & Sons, Inc.)




Fig. 7. A comparison of the unit cells of celluloses I and II, and Na-celluloses I, IIB, and IV, drawn roughly to scale. Arrows indicate the probable directions of hydrophobic attractions. Filled circles indicate the positions of Na^+ ions or water molecules. Secondary and hydrogen bonds are shown by dashed lines.

bonds between the latter and the hydroxyl groups of each glucose residue, such a conformation could become a very stable one. Its stability is probably not decreased significantly by the liquid-like surroundings of the cellulose helix in Na-cellulose IIB relative to a structure in which all Na^+ ions were in crystallographically defined positions.

Removing the NaOH from the structure through washing with water removes the energy-lowering electrostatic field. This results in a conversion of the structure to the only energy-lowering one that is available to it -- a twofold helical, interchain hydrogen-bonded sheet structure. Because cellulose II is the most stable cellulose polymorph (10), it is not surprising that the conversion product of Na-cellulose IIB approaches it after washing. It is somewhat surprising that a hydrated structure forms at all, as it is unstable and converts readily to cellulose II upon drying. Nonetheless, it does form and its structural features suggest the presence of hydrophobic attractions that may have a bearing on all twofold helical cellulose structures.

For example, interchain hydrogen bonds could be thought of as the single dominant force in the crystallization of celluloses and Na-celluloses. Therefore, it might be expected that in Na-celluloses I and IV the Na^+ ions and the water molecules, respectively, would occupy positions between the hydrogen-bonded sheets. Instead, they disrupt the hydrogen bonds within the sheets, leaving inter-sheet contacts along the 020 (and 110, respectively) directions unchanged. Because there are no hydrogen bonds present in these planes, it is very probable that hydrophobic attractions operate along these directions, between the hydrogen-bonded sheets. Comparing the structures of celluloses I and II, and Na-celluloses I and IV, as shown in Fig. 7, reveals a common form of stacking of chains in all of these structures -- strongly suggestive of hydrophobic attractions. Other cellulose polymorphs, e.g., celluloses III₁, IV₁, and IV₂ (not shown here), also conform to such chain stacking (11,12). Therefore, it is very probable that the aggregation of cellulose chains into various crystalline structures may primarily be governed by hydrophobic attractive forces. The only exception seems to be Na-cellulose IIB where the strong interaction between cellulose and the Na^+ ions appears to override any other forces, with the consequence that the cellulose chain adopts an unusual conformation.

Acknowledgment

The studies reported herein have been supported by the National Science Foundation, under grants CHE7727749, CHE8107534, and PCM8320548.

Literature Cited

- Okano, T.; Sarko, A. J. Appl. Polym. Sci. 1984, **29**, 4175.
- Okano, T.; Sarko, A. J. Appl. Polym. Sci. 1985, **30**, 325.
- Zugenmaier, P.; Sarko, A. In Fiber Diffraction Methods; French, A. D.; Gardner, K. E., Eds.; ACS Symposium Series No. 141; American Chemical Society: Washington, DC, 1980; p 225.
- Woodcock, C.; Sarko, A. Macromolecules 1980, **13**, 1183.
- Sarko, A.; Biloski, A. Carbohydr. Res. 1980, **79**, 11.
- Stipanovic, A. J.; Sarko, A. Macromolecules 1976, **9**, 851.

9. SARKO

- Nis
- pre
- Nis
- pre
- Haf
- 210
- Sar
- Sar
- 857
- Gar
- Sar
- Cre
- Bre

RECEIVEI

7. Nishimura, H.; Sarko, A. J. Appl. Polym. Sci. 1987, 29, (in press).
8. Nishimura, H.; Sarko, A. J. Appl. Polym. Sci. 1987, 29, (in press).
9. Haigler, C. H.; Brown, R. M., Jr.; Benziman, M. Science 1980, 210, 903.
10. Sarko, A. Appl. Polym. Symp. 1976, 28, 729.
11. Sarko, A.; Southwick, J.; Hayashi, J. Macromolecules 1976, 9, 857.
12. Gardiner, E. S.; Sarko, A. Can. J. Chem. 1985, 63, 173.
13. Sarko, A. In *New Developments in Industrial Polysaccharides*; Crescenzi, V.; Dea, I. C. M.; Stivala, S. S., Eds.; Gordon & Breach: New York, 1985; p 100.

RECEIVED March 5, 1987

ACS SYMPOSIUM SERIES 340

The Structures of Cellulose

Characterization of the Solid States

Rajai H. Atalla, EDITOR
Institute of Paper Chemistry

Developed from a symposium sponsored by
the Cellulose, Paper, and Textile Division
at the 190th Meeting
of the American Chemical Society,
Chicago, Illinois,
September 8-13, 1985



American Chemical Society, Washington, DC 1987



Library of Congress Cataloging-in-Publication Data

The structures of cellulose.
(ACS symposium series; 340)

Includes bibliographies and indexes.

I. Cellulose—Congresses.

I. Atalla, Rajai H., 1935— II. American
Chemical Society. Cellulose, Paper, and Textile
Division. III. American Chemical Society. Meeting
(190th: 1985: Chicago, Ill.) IV. Series.

TS933.C4577 1987 547.782 87-11537
ISBN 0-8412-1032-2

Copyright © 1987

American Chemical Society

All Rights Reserved. The appearance of the code at the bottom of the first page of each chapter in this volume indicates the copyright owner's consent that reprographic copies of the chapter may be made for personal or internal use or for the personal or internal use of specific clients. This consent is given on the condition, however, that the copier pay the stated per copy fee through the Copyright Clearance Center, Inc., 27 Congress Street, Salem, MA 01970, for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. This consent does not extend to copying or transmission by any means—graphic or electronic—for any other purpose, such as for general distribution, for advertising or promotional purposes, for creating a new collective work, for resale, or for information storage and retrieval systems. The copying fee for each chapter is indicated in the code at the bottom of the first page of the chapter.

The citation of trade names and/or names of manufacturers in this publication is not to be construed as an endorsement or as approval by ACS of the commercial products or services referenced herein; nor should the mere reference herein to any drawing, specification, chemical process, or other data be regarded as a license or as a conveyance of any right or permission, to the holder, reader, or any other person or corporation, to manufacture, reproduce, use, or sell any patented invention or copyrighted work that may in any way be related thereto. Registered names, trademarks, etc., used in this publication, even without specific indication thereof, are not to be considered unprotected by law.

PRINTED IN THE UNITED STATES OF AMERICA

Harver
Univers

Alan E
Clemson

John V
Nabisco

Marye
The Uni

Martir
Exxon I

Rolando
U.S. De

G. Wa
USDA,

Rudolf
Consult
Chen

ACS Symposium Series

M. Joan Comstock, *Series Editor*

1987 Advisory Board

Harvey W. Blanch
University of California—Berkeley

Alan Elzerman
Clemson University

John W. Finley
Nabisco Brands, Inc.

Marye Anne Fox
The University of Texas—Austin

Martin L. Gorbaty
Exxon Research and Engineering Co.

Roland F. Hirsch
U.S. Department of Energy

G. Wayne Ivie
USDA, Agricultural Research Service

Rudolph J. Marcus
Consultant, Computers &
Chemistry Research

Vincent D. McGinniss
Battelle Columbus Laboratories

W. H. Norton
J. T. Baker Chemical Company

James C. Randall
Exxon Chemical Company

E. Reichmanis
AT&T Bell Laboratories

C. M. Roland
U.S. Naval Research Laboratory

W. D. Shults
Oak Ridge National Laboratory

Geoffrey K. Smith
Rohm & Haas Co.

Douglas B. Walters
National Institute of
Environmental Health

First page of each
this copies of the
r internal use of
ier pay the stated
reet, Salem, MA
Copyright Law.
ans—graphic or
r advertising or
for information
ed in the code at

tion is not to be
ducts or services
g. specification,
e of any right or
to manufacture,
y in any way be
on, even without

Foreword

The ACS SYMPOSIUM SERIES was founded in 1974 to provide a medium for publishing symposia quickly in book form. The format of the Series parallels that of the continuing ADVANCES IN CHEMISTRY SERIES except that, in order to save time, the papers are not typeset but are reproduced as they are submitted by the authors in camera-ready form. Papers are reviewed under the supervision of the Editors with the assistance of the Series Advisory Board and are selected to maintain the integrity of the symposia; however, verbatim reproductions of previously published papers are not accepted. Both reviews and reports of research are acceptable, because symposia may embrace both types of presentation.

Preface.

1. Str
I
2. X-
.
3. Mi
foi
4. Aj
to
5. Fu
Fo
6. C
to
7. P
C
8. B
9. C
N
10. S
C
11. I
I
12. .
- 13.

Contents

Preface.....	ix
1. Structures of Cellulose.....	1
Rajai H. Atalla	
2. X-ray Diffraction Studies of Ramie Cellulose I.....	15
A. D. French, W. A. Roughead, and D. P. Miller	
3. Multidisciplinary Approaches to the Structures of Model Compounds for Cellulose II.....	38
Bernard Henrissat, Serge Perez, Igor Tvaroska, and William T. Winter	
4. Application of the Rietveld Crystal Structure Refinement Method to Cellotetraose.....	68
A. Sakthivel, A. D. French, B. Eckhardt, and R. A. Young	
5. Further Carbon-13 NMR Evidence for the Coexistence of Two Crystalline Forms in Native Celluloses.....	88
D. L. VanderHart and Rajai H. Atalla	
6. Cross-Polarization-Magic Angle Spinning Carbon-13 NMR Approach to the Structural Analysis of Cellulose.....	119
F. Horii, A. Hirai, and R. Kitamaru	
7. Possible Cause of Structural Irreversibility Between Cellulose I and Cellulose II Families.....	135
Jisuke Hayashi, Hiroshi Kon, Mitsuo Takai, Masahiro Hatano, and Tsunenori Nozawa	
8. Raman Spectra of Celluloses.....	151
James R. Wiley and Rajai H. Atalla	
9. Crystalline Alkali-Cellulose Complexes as Intermediates During Mercerization.....	169
Anatole Sarko, Hisao Nishimura, and Takeshi Okano	
10. Solid-State Carbon-13 NMR and Wide-Angle X-ray Scattering Study of Cellulose Disorder by Alkali Treatment.....	178
B. Philipp, J. Kunze, and H.-P. Fink	
11. Polymorphic and Morphological Aspects of Recrystallized Cellulose as a Function of Molecular Weight.....	189
I. Quenin and H. Chanzy	
12. X-ray Studies of the Structure of Cellulose Complexes.....	199
John Blackwell, David Kurz, Mao-Yao Su, and David M. Lee	
13. Cellulose Textile Materials Studied by Using Fourier Transform Infrared Photoacoustic Spectroscopy.....	214
Charles Q. Yang, Randall R. Bresee, William G. Fateley, and Theresa A. Perenich	

polymer

the international journal
for the science and
technology of
polymers
and biopolymers

- 123 Mercerization of cellulose: 1. Determination of the structure of Mercerized cotton
Francis J. Kolpak, Mark Weih and John Blackwell
- 132 Mercerization of cellulose: 2. The morphology of mercerized cotton cellulose
Francis J. Kolpak and John Blackwell
- 136 Stress optical studies of oriented poly(methyl methacrylate)
N. Kahar, R. A. Duckett and I. M. Ward
- 145 Scanning electron microscopy and ultrasonic studies of drawn polypropylenes
P. K. Datta and R. A. Pedrick
- 149 Unit cell variations of polyethylene crystal with temperature and pressure
Chitoshi Nakafuku
- 155 Thermal conductivity of highly oriented polyethylene
C. L. Choy, W. H. Luk and F. C. Chen
- 163 Molecular sieve behaviour in polymeric resins
J. A. Greig and D. C. Sherrington
- 173 Influence of tacticity of poly(methyl methacrylate) on the compatibility with poly(vinylidene fluoride)
E. Roerdink and G. Challa
- 179 Copolymerization of acrylamide with sulphur dioxide. Determination of the effect of copolymerization temperature on the monomer sequence distribution by ^{13}C n.m.r.
Rudolf E. Cals and Gregory J. Stuk
- 188 Effect of decrosslinking and annealing on interpenetrating polymer networks prepared from poly(ethylene acrylate)/polystyrene combinations
E. A. Neubauer, D. A. Thomas and L. H. Sperling
- 193 Emulsion polymerization of styrene in a continuous stirred reactor
B. W. Brooks, H. W. Kropholler and S. N. Purk
- 197 Free radical polymerization of unconjugated dienes: 18. Cyclopolymerization of *o*-divinylbenzene at 70°C
Luigi Costa, Oscar Chiantore and Marino Guaita
- 202 Free radical polymerization of unconjugated dienes: 19. Temperature dependence of the cyclopolymerization of *o*-divinylbenzene
Luigi Costa, Oscar Chiantore and Marino Guaita

continued on next page

Mercerization of cellulose: 1. Determination of the structure of Mercerized cotton

Francois J. Kolpak*, Mark Weih and John Blackwell

Department of Macromolecular Science, Case Western Reserve University, Cleveland, Ohio 44106, USA

(Received 30 April 1977; revised 19 September 1977)

The structure of Mercerized cellulose II has been determined using the intensity data from Mercerized cotton fibres and rigid body least squares refinement techniques. The crystal structure consists of an array of antiparallel chain molecules essentially identical to that found for regenerated cellulose II. The unit cell is monoclinic with dimensions $a = 8.02 \text{ \AA}$, $b = 8.99 \text{ \AA}$, $c = 10.36 \text{ \AA}$ (fibre axis), and $\gamma = 116.6^\circ$; the space group is $P2_1$ and the cell contains sections of two cellulose chains which pass through the centre and corner of the ab projection. The final crystallographic R value was 0.263, based on intensity data for 30 observed and 11 unobserved non-meridional reflections. The $-\text{CH}_2\text{OH}$ groups of the corner chains are oriented near to the g position while those of the centre chain are near to the tg position. The possibility of alternative side group orientations, most likely on the exterior of the cellulose II crystallites, has been determined for both the Mercerized and regenerated structures. The percentage of these other orientations is small in the case of Fortisan (rayon) but substantial in the case of Mercerized cotton. Y

INTRODUCTION

Native cellulose (cellulose I) may be converted into the more stable cellulose II polymorph by two methods: regeneration and Mercerization. Regeneration involves dissolving cellulose in a derivative-forming solvent and then precipitating by dilution in water. This process is used to produce rayon fibres, and parallels recrystallization of most polymers from solution, except that cleavage of the derivative is a necessary first step. Mercerization is the same given to the conversion accomplished by swelling native cellulose fibres in concentrated sodium hydroxide solution. Although no dissolution occurs, the swelling allows for reorganization of the chains, and cellulose II results when the swelling agent is removed. This treatment leads to improvement in the properties of cotton yarns and fabrics, and the effects of the various processing parameters have been very well characterized¹. However, the molecular mechanism of the conversion in the swollen state is largely unknown.

In the last 3 years the structures of native cellulose I^{2,3} and regenerated cellulose II^{4,5} have been determined by x-ray diffraction methods. The axial projections of these two structures are shown in Figure 1. Cellulose I consists of an array of parallel chains, i.e., all with the same sense, which are linked by intermolecular hydrogen bonds parallel to the a -axis in the O2O planes. In contrast, in regenerated cellulose II, adjacent chains are antiparallel, i.e., have alternating sense. The chains are linked by intermolecular




Figure 1. Axial projections of the structures determined for native cellulose I (a) and for regenerated cellulose II (b). The $\text{O2-H} \cdots \text{O2'}$ intermolecular bond in cellulose II between antiparallel chains in the 110 planes is shown in (b). Both structures also have intermolecular bonds between neighbouring chains along the a -axis in the O2O planes: these are $\text{O6-H} \cdots \text{O3}$ bonds in cellulose I and both $\text{O6-H} \cdots \text{O3}$ and $\text{O6-H} \cdots \text{O2}$ bonds in cellulose II (see refs 2 and 4).

* Present Address: Department of Biology, Massachusetts Institute of Technology, Cambridge, Massachusetts 02139, USA.

hydrogen bonds in the 020 planes and also in the 110 planes, i.e. along the long *ab* diagonal. This additional interchain bonding may account for the higher stability of the cellulose II polymorph.

Reversal of the polarity of the chains on conversion to cellulose II via the dissolution and reprecipitation process can be visualized without difficulty. However, this presents more of a problem for the mechanism of conversion via Mercerization, where the gross fibre structure is retained during the swelling. Thus it is first essential to examine the structure of Mercerized cellulose II in more detail, and to determine any differences between this material and regenerated specimens. Once the structure of the end product has been determined, then possible mechanisms of conversion can be postulated. This paper describes the determination of the structure of Mercerized cotton cellulose using refinement techniques similar to those used in our previous work on cellulose I² and regenerated cellulose II⁴. A subsequent paper will describe morphological studies of Mercerized cotton using the electron microscope⁵.

EXPERIMENTAL

Materials and Methods

Native cotton of the *Hopi Azula* variety was received from Dr P. Ingram of the Camille Dreyfus Laboratory, North Carolina, USA and purified under moist conditions⁷. Specimens of native cotton were Mercerized both under slack and tensioned conditions. The slack specimens were treated in 22% aqueous sodium hydroxide for 4 h and then washed for 5 min successively with distilled water, dilute hydrochloric acid and distilled water; thereafter they were maintained under moist conditions. The process was repeated 6 times to achieve a high degree of conversion to cellulose II. Specimens of native cotton (cellulose I) and cotton Mercerized under slack conditions (cellulose II) were prepared for X-ray diffraction studies by bundling individual fibres in a parallel fashion. For the material Mercerized under tension, a parallel bundle of purified native cotton was glued to a sample holder (in a partly slack condition), which was then immersed in the alkali solution for the desired length of time (see below), rinsed successively with distilled water, dilute hydrochloric acid and distilled water, and allowed to air dry. To achieve a high degree of conversion, it was necessary to repeat this procedure 4 times.

X-ray diffraction patterns were recorded on Kodak No-Screen film using Ni-filtered CuK α radiation in an evacuated flat plate camera with pinhole collimation. Intensities for the X-ray structure refinement were obtained for 30 observed (non-meridional) reflections. Quantitative values for 19 of these reflections were obtained using a Photometrics EDP Scanning Microdensitometer⁸. The intensities of the remaining 11 (weak) reflections were estimated visually. In addition, there were 11 reflections that were predicted to fall within the limits of the observed X-ray data, but had intensities too weak to be detected. These unobserved reflections were considered prior to each cycle of least squares refinement and those which had calculated structure amplitudes higher than their respective estimated threshold values $F(\text{three})$ were included in the data with assigned $F(\text{obs})$ equal to two thirds of $F(\text{three})$.

X-ray diffraction studies of Mercerized cotton

Figure 2 shows the fibre diagrams of native cotton and




Figure 2 X-ray fibre diffraction photographs of native cotton (a) and cotton Mercerized under slack conditions (b)




Figure 3. X-ray fibre diffraction photographs of tensioned mercerized cotton: (a) low degree of conversion and (b) high degree of conversion.

cotton Mercerized under slack conditions. For native cotton, the reflections are considerably arced, indicating a low degree of fibre orientation due to the spiral arrangement of crystallites in the macroscopic cotton hair. For Mercerization under slack conditions, essentially complete conversion to cellulose II is achieved with little change in orientation. At room temperature, slack fibres can be Mercerized with alkali concentration as low as ~9% and complete conversion to cellulose II occurs with concentrations $> \sim 16\%$.¹³⁻¹⁴ When cellulose is Mercerized under tension, however, a higher alkali concentration is required to start conversion and complete removal of the cellulose I component appears to be impossible¹⁵. Variation of the alkali concentration used with tensioned samples served to determine the limiting conditions for Mercerization at ambient temperature. With 20% NaOH, Mercerization times as low as 1 min produced a substantial degree of conversion, while with 10% NaOH, Mercerization times of up to 10 min produced no noticeable change in the native fibre patterns. With ~17% NaOH, however, a rough correlation between degree of conversion and Mercerization time was found. Figure 3a shows the fibre patterns from a tensioned specimen following Mercerization for approximately 15 sec under the above conditions. Even this short exposure to alkali gives rise to substantial changes in the fibre pattern. In addition to the appearance of the cellulose II reflections, an increase in the degree of orientation can be seen. As the Mercerization time is increased, the extent of conversion to cellulose II increases as does the degree of orientation. The breadth of the equatorial reflections is larger for tension-Mercerized cotton than for the slack-Mercerized material, indicating a smaller crystallite size in the former. Figure 3b shows the fibre pattern of a tensioned specimen that has been Mercerized four times with 20% NaOH. Even in this pattern, weak 110 and 110 cellulose I reflections are present. Further treatment has little effect on the pattern, indicating that the conversion has progressed as far as possible under the conditions used.

As is well known, the layer line spacings and hence the chain backbone conformation do not change during Mercerization. However, there is a significant rearrangement of the cellulose molecules in the tensioned samples, as evidenced by the increase in the degree of orientation (as compared to the native structure) and the development of a weak small-angle maximum on the equator at $d = 14.0 \pm 0.3$ Å.

Structure determination of Mercerized cotton

Crystallographic data. Cotton which has been Mercerized several times under tension yields diffraction patterns of sufficient quality for a crystal structure determination using the rigid body techniques referred to earlier. The fibre pattern of the tension-Mercerized specimen from which the intensity data was collected is shown in Figure 3b. This particular specimen was prepared in the manner described earlier and Mercerized for one cycle of 19 h followed by three cycles of about 4 h each. The observed d -spacings could be indexed by a monoclinic unit cell with least squares refined dimensions: $a = 8.02 \pm 0.03$ Å, $b = 8.99 \pm 0.04$ Å, $c = 10.36 \pm 0.06$ Å, and $\gamma = 116.6^\circ \pm 0.3^\circ$. The observed and calculated d -spacings are compared in Table I. Within experimental error, the unit cell is identical to that for rayon. The only systematic absences detected were the odd order 001 reflections and the space group was assumed to be $P2_1$. Under certain conditions, 001 and 003 reflections of varying intensity are observed, but these occur in patterns of very poor quality and are most likely due to imperfections in the sample.

X-1017 F. WENDT LIBRARY-LWM

Table 1 Crystallographic data for Mercerized cotton

<i>d</i> (obs)	<i>d</i> (cal)	<i>hkl</i>	<i>I</i> (obs) as measured	<i>I</i> (obs) minus cellulose I component	<i>d</i> (obs)	<i>d</i> (cal)	<i>hkl</i>	<i>I</i> (obs) as measured	<i>I</i> (obs) minus cellulose I component
Zero level:									
7.29	7.18	110	11.12	12.94		2.35	312		
4.44	4.46	120	89.18	89.18	2.13	2.17	332	0.07	0.08
4.03	4.05	110				2.17	302		
3.57	4.02	020	100.00	100.00	Third level				
2.98	4.01	210			3.12	3.17	013	6.77	5.72
2.58	3.58	220	0.36	0.40		3.11	113		
	3.59	200				3.11	103		
	2.99	130	0.43	0.50	2.60	2.62	023	3.27	4.04
	2.58	120				2.62	213		
2.58	2.68	030	0.45	0.52	2.48	2.49	223	0.99	1.15
	2.84	320				2.49	203		
	2.21	240	1.66	1.93	2.22	2.25	133	0.59	0.68
	2.23	220				2.26	123		
	2.21	140				2.19	253		
	2.21	130			2.12	2.12	213	0.66	0.75
						2.10	033		
First level:									
6.44	6.25	011	0.17	0.19	Fourth level				
—	4.10	121	—	—	2.59	2.59	004	Strong ^b	Strong ^b
—	4.09	111	—	—	2.46	2.47	014	1.04	1.21
—	3.75	021	—	—		2.44	114		
3.34	3.74	211			2.20	2.24	124	2.10	2.45
	3.39	221	0.17	0.20		2.24	114		
	3.39	201			1.88	1.91	234	0.39	0.46
2.83	2.87	131	0.18	0.20		1.88	034		
	2.87	121				1.85	274		
2.56	2.59	030	2.05	2.39		1.85	314		
	2.56	321				1.85	324		
	2.56	311				1.85	334		
2.35	2.33	331	1.05	1.22		1.85	344		
	2.33	301				1.85	354		
2.19	2.18	241	0.29	0.34		1.85	364		
	2.18	221				1.85	374		
	2.16	141							
	2.16	131							
Second level:									
5.17	5.18	002	Medium ^b	Medium ^{b,1}	2.00	2.01	015	Weak ^b	Weak ^b
4.37	4.26	012	8.18	8.28		1.99	115		
	4.20	112			1.88	1.98	105		
	4.20	102			1.88	1.88	125	0.41	0.48
3.40	3.38	122	2.43	2.82		1.84	025		
	3.38	112			1.67	1.84	275		
2.88	2.95	222	0.91	1.06		1.70	135	0.13	0.15
	2.95	202				1.67	235		
2.58	2.59	132	0.77	0.90		1.67	215		
	2.58	122				1.64	035		
2.34	2.38	032	0.18	0.21		1.63	255		
	2.35	322				1.63	315		

^a These reflections were obscured by the arcing of the 110 and 020 reflections and could not be measured accurately.

^b Due to difficulties in applying corrections to reflections occurring outside the sphere of reflections, only an estimate of the intensity is given.

The presence of weak 110 and 110 reflections for cellulose I indicate the presence of a residue of this form in the specimen. Thus Mercerized cellulose intensities occurring in the region of strong cellulose I intensities need to be corrected for the contribution of the latter. Specifically, equatorials at $d = 4.44$ and 4.03 Å and the second layer line reflection at $d = 4.37$ Å for Mercerized cellulose need to be corrected for contributions of the equivalent cellulose I reflections at $d = 3.93$ and 4.35 Å respectively. The cellulose I contributions were computed based on the intensities of the 110 and 110 reflections (for cellulose I) and subtracted

from the measured intensities to yield the corrected values for Mercerized cellulose. The measured and subtracted intensity data (corrected for Lorentz and polarization effects) are given in Table I. In both cases, the strongest reflection is assigned an intensity of 100 and the remaining reflections are scaled accordingly.

Molecular model and chain packing. Consistent with the P2₁ symmetry, a model for the cellulose chain was constructed as a two-fold helix repeating in 10.36 Å. Standard bond distances and bond angles¹² were used, and the molecular model incorporated an O3-H...O5' intramolecular

Table 2 Refinement results for the Mercerized cotton structure

	Observed data				Full data			
	p_1	p_2	a_1	a_2	p_1	p_2	a_1	a_2
χ	169.1°	147.6°	-176.4°	178.5°	147.4°	145.2°	159.8°	174.6°
ψ	68.1°	84.9°	138.9°	90.8°	83.0°	87.7°	149.8°	121.5°
ΦH	18.0°	66.4°	14.0°	17.4°	11.1°	66.3°	16.4°	17.2°
$\Phi H'$	10.2°	63.8°	67.7°	63.4°	16.7°	65.7°	62.4°	63.8°
SHIFT	0.262c	0.206c	-0.104c	0.233c	0.272c	0.195c	-0.108c	0.241c
K	0.59	0.58	0.58	0.58	0.59	0.58	0.58	0.58
B	31.3	32.0	31.4	32.4	31.9	32.4	32.0	32.6
R	0.231	0.148	0.154	0.160	0.280	0.192	0.222	0.188
R'	0.231	0.148	0.154	0.160	0.265	0.180	0.223	0.188
R''	0.158	0.111	0.114	0.116	0.172	0.125	0.143	0.126
Bad contacts								
$C \cdots O$ (A)	—	2.48	2.41	—	—	2.48	2.00	—
$O \cdots O$ (A)	2.49	2.46	2.15	2.45	2.42	2.56	2.18	2.59
		2.58	2.57	2.54	2.52	2.45		2.50
					2.59			2.48

hydrogen bond⁴. The disaccharide residu has a glycosidic bond angle of 114.8° and glycosidic torsion angles of $\phi = 34.7^\circ$, $\psi = -25.2^\circ$ (using the convention followed by Sundarajan and Rao¹³). The chain is completely rigid except for the allowed rotation of the $-CH_2OH$ group about the C5—C6 bond. This rotation is described by the dihedral angle χ , where χ has a value of zero when the C6—O6 bond is *cis* to the C4—C5 bond. Counterclockwise rotation of the group when looking down the C5—C6 bond represents positive rotation. The $-CH_2OH$ orientation is also described in terms of its orientation relative to the C4—C5 and C5—O5 bonds: *eg. gauche* to C5—O5 and *gauche* to C4—C5 ($\chi = -60^\circ$); *gt. gauche* to C5—O5 and *trans* to C4—C5 ($\chi = 180^\circ$); and *tg. trans* to C5—O5 and *gauche* to C4—C5 ($\chi = 60^\circ$)¹⁴.

The positions of the two cellulose chains in the unit cell are defined by three packing parameters, whether they have the same or opposite sense. These parameters are the shift of one chain (along *c*) with respect to the other chain, and two parameters defining the orientation of the two chains (about their helix axes). The relative intensities of the 002 (medium) and 004 (strong) indicate an approximate *c/4* stagger of the chains, and hence four basic models need to be considered, as was the cause for the native structure³. In each case the first chain through (0, 0, *z*) has the glycosidic oxygen O1' at $z = 0$, and 'shift' describes the *c*-axis displacement of O1' in the second chain through (1/2, 1/2, *z*); the chain sense is defined as 'up' when $z_{O5} > z_{CS}$. The four models are the following: p_1 , parallel chains oriented up with a shift of $+c/4$ for the second chain; p_2 , parallel chains oriented down with a shift of $+c/4$ for the second chain; a_1 , antiparallel chains with an up chain at the origin and a down chain at (1/2, 1/2, *z*), with a shift of $-c/4$; a_2 , antiparallel chains as in a_1 , except with a shift of $+c/4$ for the second chain.

Thus, for each of the four possible models there are seven refinable parameters.

Three packing parameters:

(1) SHIFT, the stagger of the centre chain along its helix axis with respect to that at the origin;

(2) PHI, the rotation of the origin chain about its helix axis;

(3) PHI', the rotation of the centre chain about its helix axis.

Two molecular parameters:

(4) the dihedral angle χ , which determines the orientation of the $-CH_2OH$ group in the origin chain;

(5) the dihedral angle χ' , which determines the orientation of the $-CH_2OH$ group in the centre chain.

Two crystallographic parameters:

(6) K , the scale factor;

(7) B , the average isotropic temperature factor.

The possible structural models for cellulose were refined by adjusting the above parameters using a least squares process¹⁵ to provide the best fit between observed and calculated structure factor amplitudes. The agreement is measured in terms of the usual crystallographic residuals R , R' , and R'' , which are in terms of F_o weighted F and weighted F^2 respectively¹⁴. Observed reflections were given a weight of one and unobserved a weight of one half in the calculation of R and R'' .

RESULTS AND DISCUSSION

Structure determination

The final values of the refinable parameters for the four models following refinement against the observed data and against the observed and unobserved (full) data are given in Table 2. The values of ΦH and $\Phi H'$ are similar to those reported for rayon³ in that the planes of the sugar rings are refined approximately parallel to the *ac* unit cell face. The chain stagger, SHIFT, is $-1/4c$ for all models except a_1 . The refined value for the isotropic temperature factor is $\sim 32.0 \text{ \AA}^2$ in all cases, which is 60% higher than that found for rayon³, and reflects the higher disorder for Mercerized cellulose. As a result, the parameters χ and χ' are not very sensitive to the data and several unacceptable stereochemical contacts exist for the $-CH_2OH$ groups in all four models. Non-bonded constraints were introduced in an effort to eliminate these bad contacts. In those situations where a potential hydrogen bond existed, the model was constrained to form that hydrogen bond.

A stereochemically acceptable structure was found for model a_2 with (χ, χ') near (gt, tg), as was found for regenerated cellulose⁴. This final model has residuals $R = 0.263$, $R' = 0.248$ and $R'' = 0.168$ for the full data. For models p_1, p_2 and a_1 , removal of the unacceptable contacts could only be accomplished by changing the packing parameters in addition to χ and χ' . In all three cases, the R' values were sufficiently high that models p_1, p_2 and a_1 can be eliminated in favour of model a_2 at significance levels of better than 1%¹⁶.

Table 3. Calculated structure factor amplitudes for final Mercerized cellulose model a_2

hkl	$F(\text{obs})$	$F(\text{calc})$	hkl	$F(\text{obs})$	$F(\text{calc})$
Zero level:			032	9.13	14.85
010	(12.0) ^a	14.59	352		
110	71.93	84.95	372		
120	186.82	200.62	332	5.73	5.78
110			302		
020	199.95	175.54			
210			Third level:		
220	12.70	14.61	003	—	0.0
200			013	51.63	42.60
130	14.13	24.64	113		
120			103		
250	(12.0)	5.69	123	(12.0)	6.06
030			113		
320	14.47	22.90	023	40.18	26.91
310			213	21.48	21.06
320	(12.0)	4.38	203		
260	27.78	39.41	133	16.51	23.31
220			123		
130			233		
			213		
			033	17.49	17.86
			323		
			373		
First level:					
001	—	0.0			
011	8.78	15.21	Fourth level:		
111	(6.0)	18.53	004		
101			014	Strong ^c	22.06
121	—	42.60	114	21.98	17.38
111			104		
021	—	12.26	124		
211			114	31.30	21.16
221	9.00	20.23	024		
201			214		
131	9.05	21.55	224	(12.0)	3.84
121			204		
231	(8.0)	15.51	134	(12.0)	3.88
211			124		
031	30.92	30.11	234	13.49	8.07
351			214		
371			034		
331	22.06	25.99	324		
301			374		
241	11.61	15.32			
221			Fifth level:		
141			005	—	0.0
131			015	Medium ^c	8.30
			115		
Second level:			105		
002	Medium ^c	21.94	125	13.83	7.63
012	57.52	47.20	115		
112			025		
102			215		
122	33.60	27.15	225	(8.0)	2.61
112			205		
022	(10.0)	26.70	135	7.78	5.47
212			125		
222	20.59	15.68	235		
202			215		
132	18.95	23.18	035		
122			325		
252	(8.0)	15.66	375		
212					

^a Numbers in parentheses are estimated threshold values for unobserved reflections

^b Reflections obscured by arc-of-equatorial reflections

^c Reflections occurring outside the sphere of reflection but observed due to imperfect specimen orientation. The F 's are calculated for a qualitative comparison with the observed intensity

Table 4. Fractional atomic coordinates for one glucose residue of each chain: model a_2 with (x, y, z) in (a, b, c)

Atom	x/a	y/b	z/c
Origin chain			
C1	-0.043	0.006	0.386
C2	-0.114	0.092	0.329
C3	-0.142	0.009	0.158
C4	0.034	0.000	0.116
C5	0.101	-0.050	0.220
C6	0.285	-0.079	0.188
O1*	0.001	-0.097	0.000
O2	-0.283	0.087	0.336
O3	-0.199	0.102	0.096
O6	0.127	0.010	0.339
O5	0.352	-0.142	0.292
Centre chain			
C1	0.458	0.519	-0.159
C2	0.318	0.505	-0.062
C3	0.404	0.560	0.070
C4	0.520	0.482	0.112
C5	0.659	0.496	0.007
C6	0.767	0.398	0.040
O1*	0.621	0.857	0.227
O2	0.224	0.596	-0.109
O3	0.260	0.539	0.162
O6	0.463	0.428	-0.112
O5	0.896	0.474	0.143

* Complementary half of the unit cell can be generated by the symmetry operation $-x, -y, z + 0.5$.

The refined values for the packing parameters in model a_2 are: $PHI = 32.0^\circ$ ($\sigma_{PHI} = 2.7^\circ$), $PHI' = 62.7^\circ$ ($\sigma_{PHI'} = 2.2^\circ$) and $SHIFT = 0.227c$ ($\sigma_{SHIFT} = 0.025c$). For the side groups, $\chi = -175.1^\circ$ ($\sigma_\chi = 20.5^\circ$), placing the $-CH_2OH$ group of the origin chain within $\sim 5^\circ$ of the g_t position; and $\chi' = 69.9^\circ$ ($\sigma_{\chi'} = 15.9^\circ$), which positions the $-CH_2OH$ group of the centre chain within $\sim 10^\circ$ of the g_t position. The refined isotropic temperature factor is $B = 32.38 \text{ \AA}^2$ ($\sigma_B = 3.39 \text{ \AA}^2$). The observed and calculated structure factor amplitudes for this model are compared in Table 3, and the fractional atomic coordinates are given in Table 4. The ac projection of the proposed structure is shown in Figure 4; the structure is almost the same as that we have determined for rayon⁸, and the ab projection is not significantly different from that shown in Figure 1b.

The hydrogen bonding network in Mercerized cotton is identical to that in rayon and need only be summarized briefly. Each chain possesses an intramolecular $O3-H \cdots O5'$ hydrogen bond as defined in the model. With the $-CH_2OH$ group near g_t to the position, the centre 'down' chains contain an additional $O2-H \cdots O6$ intramolecular hydrogen bond. Intermolecular hydrogen bonds are formed between adjacent chains in the $O2O$ plane: an $O6-H \cdots O2$ hydrogen for the corner chains and an $O6-H \cdots O3$ hydrogen bond for the centre chains. Finally, additional intermolecular hydrogen bonding occurs between the antiparallel sheets of cellulose chains, in which the $O2-H$ of a corner chain is bonded to the $O2'$ of the centre chain along the 110 diagonal. The bond lengths and angles for the hydrogen bonds are given in Table 5.

Alternative side group orientation in cellulose II

The structures of regenerated and Mercerized cellulose have been shown to be essentially identical, and thus the structure of form II is independent of the means of conversion from form I. The major difference is the much larger

isotropic temperature factor for Mercerized cellulose, which reflects a higher degree of disorder in this form than in the regenerated cellulose. Possible sources of this disorder are imperfections within the cellulose II crystallites, such as incorrect chain polarity at a lattice position or alternative orientations for the $-CH_2OH$ side groups. The confidence with which alternative packing models can be excluded in favour of the proposed structure precludes any significant percentage of chains with incorrect polarity. However, the high standard deviations in the refined values of χ and χ' suggest that alternative side group orientations may well occur.

As confirmed by potential energy calculations¹⁷, the $-CH_2OH$ groups in cellulose can be expected to adopt one of three staggered rotational conformations, designated g_t , g_g , and g_g' ; these would be likely candidates for alternative conformations in the structure. However, since packing considerations can alter conformational preferences, intermediate values need to be checked as well. With the positions of the chains fixed by the parameters for the a_2 model, the $-CH_2OH$ conformations χ and χ' were varied in increments of 30° and the residual calculated for each combination. These results were then used to produce a




Figure 4. Proposed antiparallel model for Mercerized cotton cellulose; projection of the chains perpendicular to the ac face of the unit cell.

Table 5. Summary of hydrogen bonding. Network for final model a_2

Hydrogen bond ^a	Bond length (Å)	Bond angle (degrees)
$O3-O3'-O5'$	2.89	102.5
$O6-O6'-O2a$	2.78	107.1
$O2a'-O2a''-O6''$	2.72	114.3
$O5''-O6''-O3''$	2.72	129.4
$O2a-O2a'-O2''$	2.73	108.8

^a The symbols used are the following: * denotes an atom on the centre 'down' chain; ' denotes an atom on the next residue up from the asymmetric residue and 'a' denotes an atom on the next chain along the positive a -axis.




Figure 5. R^2 map of the final R^2 model for regenerated cellulose II. The lined area indicates regions where $R^2 < 15\%$.

two dimensional map of R^2 contours for χ against χ' . The calculations were performed using both the regenerated cellulose and Mercerized cellulose intensity data; the results are shown in Figures 5 and 6 respectively. In each case the scale and isotropic temperature factors used were those of the refined structure. In addition, the possibility of stereochemically bad contacts was checked for each (χ, χ') position.

Regenerated cellulose had the lower isotropic temperature factor, and the work for this structure is considered first. The R^2 map in Figure 5 shows a number of minima, which occur near the nine combinations of the preferred orientations for χ and χ' . A check of the stereochemistry reveals that six of these: (χ_2, χ_1) , (χ_2, χ_2) , (χ_1, χ_2) , (χ_2, χ_2) and (χ_1, χ_1) , contain unacceptable C...O and O...O non-bonded contacts and can be eliminated from consideration. In the remaining three models, all C...O and O...O non-bonded contacts are acceptable. However, if pendant hydrogen atoms are placed on the glucose ring with appropriate stereochemistry, an unacceptable H...O contact is found when χ is near χ_2 , thus eliminating the combinations (χ_2, χ_2) and (χ_2, χ_1) . Therefore, the only stereochemically acceptable model is (χ_1, χ_1) , which is the result from the X-ray refinement⁴. All of the alternative combinations except (χ_2, χ_2) could be eliminated in favour of (χ_1, χ_1) at a significance level of better than 5%. For (χ_2, χ_2) the significance level is somewhat lower.

In addition, the proposed model is the only one completely consistent with the infra-red evidence. In the O—H stretching region of the cellulose II spectrum, two of the five observed bands show parallel dichroism and the remaining three perpendicular dichroism¹⁸. One parallel band is expected from the O3...O5' intramolecular hydrogen bond. Examination of possible hydrogen bonding schemes for the various combinations revealed that only when χ or χ' is near χ_2 and an O6...O2' intramolecular hydrogen bond formed will another parallel band be expected. Therefore, those (χ, χ') combinations with neither —CH₂OH group near χ_2 are inconsistent with the infra-red dichroism

in the hydroxyl stretching region. Also the dichroisms of the CH₂ symmetric and antisymmetric stretching bands are consistent with g and/or g for the —CH₂OH group, but rule out the gg conformation¹⁹. In summary, taking into account the X-ray agreement, stereochemical criteria and infra-red evidence, only the e_2 model with the —CH₂OH groups in the (g, g) conformations is fully satisfactory.

In contrast to the results for regenerated cellulose, the R^2 map for Mercerized cotton (Figure 6) contains a single large minimum which contains four of the nine preferred (χ, χ') combinations: (χ_1, χ_2) , (χ_2, χ_2) , (χ_2, χ_1) and (χ_1, χ_1) . The five remaining combinations and (χ_1, χ_1) have R^2 values of sufficient magnitude to be ruled out in favour of either (χ_1, χ_2) , (χ_2, χ_2) or (χ_2, χ_1) ; but, on the basis of the Hamilton¹⁸ statistics alone, either (χ_2, χ_2) or (χ_2, χ_1) is as good a model for the data as (χ_1, χ_2) . However, since the refined values of the packing parameters are similar for both regenerated and Mercerized cellulose II, similar contact criteria hold for the Mercerized cotton structure, and all combinations except (χ_1, χ_2) can be ruled out on this basis. Thus in the case of Mercerized cotton, stereochemical contact criteria are the deciding factors in the choice of a model.

The existence of the additional R^2 minima for regenerated cellulose suggests that a percentage of the cellulose chains have their pendant groups in conformations other than (χ_1, χ_2) . These conformations most likely occur on the periphery of the crystallites where the unit cell contact criteria may not apply. Electron microscopy²⁰ shows that regenerated cellulose (Fortisan rayon) consists of fibrillar crystallites with widths in the range 20–40 Å. Thus an estimated 20–30% of the —CH₂OH groups are located on the surface of the crystallites, where considerations other than crystal packing would allow the hydroxymethyl groups to assume a number of conformations. Morphological investigation of cotton Mercerized under slack conditions (see following paper²¹) shows that the crystallites have widths similar to those in regenerated cellulose. X-ray line broadening indicates equivalent or smaller crystallites for cotton Mercerized under tension and thus a similar propor-




Figure 6. R^2 map of the final e_2 model for Mercerized cotton. The lined area indicates the region where $R^2 < 15\%$.

tion of the $-\text{CH}_2\text{OH}$ groups are on the exterior of the Mercerized cotton crystallites. However, the single minimum in the R' map for Mercerized cotton excludes the tg conformation for the 'up' chains and the gg conformation for the 'down' chains. This suggests that the $-\text{CH}_2\text{OH}$ groups on the surface of the Mercerized crystallites do not have the same conformational freedom as in regenerated cellulose.

CONCLUSIONS

In spite of the uncertainty about the $-\text{CH}_2\text{OH}$ group orientations, the presence of antiparallel chains in Mercerized cotton has been demonstrated. The stereochemically acceptable g_2 model is essentially identical to that determined for regenerated cellulose⁶. The Mercerized cellulose structure is an array of antiparallel sheets of chains, which are stabilized by both intrasheet and intersheet hydrogen bonding. There is less crystalline perfection in Mercerized cellulose than in regenerated cellulose, as evidenced by the substantially larger isotropic temperature factor, and the lower sensitivity of the intensity data to the position of the $-\text{CH}_2\text{OH}$ groups for the former.

For regenerated cellulose, additional minima occur in the R' map corresponding conformations of the CH_2OH group other than the gt , tg combination required in the crystal structure. Thus the X-ray agreement for these conformations is reasonably good, but they are eliminated by stereochemical criteria. However, up to half the chains are on the edges of the crystallites, where the packing requirements are partially relaxed, and where other CH_2OH conformations will be allowed. The existence of the nine minima in the R' map suggests that all possible combinations of gt , tg and gg do in fact occur for regenerated cellulose. In contrast, the single large minimum for Mercerized cotton suggests that not all orientations are available to the $-\text{CH}_2\text{OH}$ groups. From this it can be argued that the $-\text{CH}_2\text{OH}$ groups could have limited rotational freedom during the conversion process, and hence not all conformations can be adopted after the swelling agent is removed. The substantially higher degree of disorder in Mercerized cotton as compared with regenerated cellulose suggests that the defects caused by alternative $-\text{CH}_2\text{OH}$ orientations may occur within the crystallites as well as on the periphery. The refined structure requires a change from parallel to antiparallel chain polarity during Mercerization. Since the

cellulose chains are not dissolved in this process, the swelling of the fibres by the alkali medium must provide the necessary freedom for chain rearrangement. The intersheet hydrogen bonding found in cellulose II is one of the most significant differences between this structure and the native form. This feature of the structure almost certainly provides a driving force for the cellulose chains to adopt the cellulose II lattice once the swelling medium is removed.

Changes which occur in the degree of orientation and crystallite size after even low degrees of conversion indicate that substantial morphological rearrangement is taking place upon Mercerization. A further investigation of these morphological changes is reported in the following paper⁸.

ACKNOWLEDGEMENTS

This research was supported by NSF Grant No. DMS 76-82768 and NIH Research Career Development Award No. AM 70642 (to J. B.).

REFERENCES

1. Heap, S. A. *Colours* 1976, 23, 28.
2. Gardner, K. H. and Blackwell, J. *Biopolymers* 1974, 13, 1975.
3. Sarko, A. and Muzzi, R. *Macromolecules* 1974, 7, 486.
4. Kolpak, F. J. and Blackwell, J. *Macromolecules* 1976, 9, 273.
5. Stipanovic, A. J. and Sarko, A. *Macromolecules* 1976, 9, 851.
6. Kolpak, F. J. and Blackwell, J. *Polymer* 1977, 18.
7. Kolpak, F. J. and Blackwell, J. *Text. Res. J.* 1975, 45, 568.
8. McKenzie, A. W. and Higgins, H. G. *Sven. Papperstidn.* 1958, 61, 893.
9. Jeffries, R. and Warwicker, J. V. *Text. Res. J.* 1969, 39, 548.
10. Simon, W. A. and Sauer, W. R. *J. Phys. Chem.* 1941, 45, 717.
11. Chidambaram, P. K., Paul, N. B. and Sundaram, V. *J. Appl. Polym. Sci.* 1976, 20, 2297.
12. Arnott, S. and Scott, W. E. *J. Chem. Soc. Perkin Trans. 2* 1972, p. 324.
13. Sundarajan, P. R. and Rao, V. S. R. *Biopolymers* 1969, 8, 305.
14. Sundaralingam, M. *Biopolymers* 1968, 6, 189.
15. Arnott, S. and Womack, A. J. *Polymer* 1966, 7, 157.
16. Hamilton, W. C. *Acta Crystall.* 1951, 18, 502.
17. Atkins, E. D. T., Hopper, E. D. A. and Isaac, D. H. *Carbohydr. Res.* 1973, 27, 29.
18. Marc, J. and Marignan, H. J. *J. Polym. Sci.* 1958, 32, 357.
19. Blackwell, J. and Marchessault, R. H. 'Cellulose and Cellulose Derivatives', (Eds. N. Bikales and L. Segal, Wiley, New York, 1971), Vol. 5, Part IV, Ch. 13, pp. 1-37.
20. Kolpak, F. J. and Blackwell, J. *Text. Res. J.* in press.

XERO COPYED LIBRARY-UM